

ATTITUDE TOWARDS SAFETY

2026/27



BG PPE SAFETY PRODUCT CATALOGUE



Safety Solution

BG SAFETY established in 2011 by three founders with a shared passion for industrial safety. Now BG Safety has grown to one of Malaysia's leading safety solution providers over the years.

Our Vision : To elevate safety standards across industries by combining high-quality products with practical, on-site knowledge.

Our mission : To seamlessly integrate essential safety equipment into your daily operations, delivering peace of mind through assured product quality, reliable availability, and strict adherence to industry compliance standards.

As we step into 2026, BG Safety is more than a supplier, we are your strategic safety partner. With a strong foundation in Johor and expanded operations across Malaysia, we support clients nationwide, guided by our core values of Integrity, Teamwork, and Innovation.

BG PPE Supply

The First Line of Defence & Authorized Distributor

BG Workshop

System Integrity, Engineered Precision, and Maintenance

BG Classroom

Structured, Competency-Based Safety Training

BG Shop

Safety Accessibility, Guaranteed Authenticity

CONTENTS

ABOUT US	2
HEAD & FACE PROTECTION	6
EYE PROTECTION	13
HEARING PROTECTION	23
RESPIRATORY PROTECTION	28
HAND PROTECTION	41
FOOT PROTECTION	45
BODY PROTECTION	51
DISPOSABLE PROTECTION FOR FOOD INDUSTRY, CLEAN ROOM & MEDICAL GRADE PROTECTION	57
FALL PROTECTION	61
SPILL RESPONSE KIT & SAFETY CONTROL	71
SPECIAL TASK FORCE & FIRE RESPONSE EQUIPMENT	78
EMERGENCY RESPONSE & FIRST AID RESPONSE	83
INDUSTRIAL SAFETY FLASHLIGHT & MARINE SAFETY	88
LOCKOUT TAGOUT	92
TRAFFIC SAFETY CONTROL	98
INDUSTRIAL HYGIENE & MATERIAL HANDLING EQUIPMENTS	101

AUTHORIZED DISTRIBUTOR



BG PPE Supply

The First Line of Defence & Authorized Distributor

At **BG Safety**, we pride ourselves on being an **Authorized Distributor** for world-class safety brands. We ensure that our clients receive only **100% genuine, certified PPE**, effectively eliminating the life-threatening risks associated with counterfeit PPE. BG Safety offers a comprehensive range of **head-to-toe Personal Protective Equipment (PPE)**. Our primary partnerships include industry leaders such as:



Beyond distribution, we are also proud to innovate and develop our own products based on our deep belief in quality and reliability.




Our flagship safety footwear and Protective Glove designed for durability and comfort.



Our comprehensive facility safety brand, specializing in Lockout/Tagout (LOTO) solutions, industrial safety signage, and ergonomic support gear.

BG Workshop

System Integrity, Engineered Precision, and Maintenance



BG Workshop is the dedicated service division of BG Safety, providing practical design, professional installation, and comprehensive warranty support to keep your workplace constantly safe.

As an Authorized Distributor and Certified Installer for global leaders **3M™ DBI-SALA®** and **Kee Safety**, our expert technical team handles from consultation, installation, certification and long-term maintenance.

- Fall protection lifeline systems
- Safety guardrails and barriers
- Walkways, platforms, and rooftop crossovers

We install every system with engineered precision and ensure it meets all safety standards. Furthermore, with scheduled inspections, testing, and preventive maintenance, BG Workshop keeps your safety systems compliant, reliable and operating at their best.

BG Classroom

Structured, Competency-Based Safety Training

BG Classroom is the dedicated training arm of BG Safety, driven by one goal: **safer workplaces through structured, outcomes-focused training.**



We go beyond basic theory to build practical workplace competency, utilizing learner-centric courseware, hands-on activities, and clear assessments to ensure our courses deliver real, on-the-job impact. Our programs are delivered by TTT-certified trainers with relevant industry experiences.

Our Training Standards:

HRD Corp Registered

We offer **HRDF-claimable courses** that are accessible and cost-effective for employers.

International Frameworks

Our courses follow **ISO 21001 principles** and apply **TÜV SÜD-accredited** instructional design frameworks, keeping every program structured, consistent, and aligned with international standards.

Compliance & Measurement

All training is strictly guided by **DOSH/JKKP requirements**. We design our programs to be measurable, ensuring they support safer daily work practices and long-term behavioral change.

BG Shop

Safety Accessibility, Guaranteed Authenticity

The BG Online Store provides a seamless and convenient way for both individuals and companies to source 100% genuine PPE directly through our website. We understand that safety needs are often urgent, which is why we have optimized our digital platform to ensure that premium protection is accessible to everyone, regardless of their location.

Convenience & Accessibility

Easily browse our extensive catalog and place orders 24/7. Whether you are a safety officer procuring for a site or an individual looking for personal gear, our platform simplifies the entire process.

Nationwide Reach

We bridge the distance to ensure your team stays protected, even if your project is located far from us.



Guaranteed Authenticity

Every item purchased through our online store is sourced through our authorized distribution channels. You can shop with total confidence, knowing you are receiving genuine equipment direct from world-class

Real-Time Inventory

With over 1,000 SKUs available, our online store provides up-to-date availability.



HEAD PROTECTION

3M™ SecureFit™ H-Series Hard Hat



Compatible with cap-attached 3M™ hearing protection and communication products, a variety of 3M™ faceshields and other accessories

Rests low on the head.
Suspension design sits lower to reduce pressure and help increase stability.

Absorbent brow pad provides comfort and ventilation.

Designed to distribute force and increase suspension ease of wear.



UVicator™ Sensor now standard on H-series hard hats.
Patented sensor changes color when exposed to UV light-white signifies its time for replacement.



Smooth, easy turning ratchet suspension.

3M™ SecureFit™ H-700 Hard Hats, Non-Vented

ANSI Z89.1 Type I, Class G & E requirements and CSA Z94.1



4-Point Pressure Diffusion Ratchet Suspension, with UVicator, 20 pcs per case

Item Code	H-701SFR-UV	H-702SFR-UV	H-703SFR-UV	H-704SFR-UV	H-705SFR-UV	H-706SFR-UV	H-707SFR-UV	H-708SFR-UV
Colour	White	Yellow	Blue	Green	Red	Orange	Hi-Vis Orange	Grey
Item Code	H-709SFR-UV	H-710SFR-UV						
Colour	Hi-Vis yellow	Navy Blue						

3M™ SecureFit™ H-800 Hard Hats – Non Vented

EN 12492, EN 397, AND EN 50365 (1000Vac)



Full Brim Hard Hat, 4-Point Pressure Diffusion Ratchet Suspension, with UVicator, 20 pcs per case

Item Code	H-801SFR-UV	H-802SFR-UV	H-803SFR-UV	H-804SFR-UV	H-805SFR-UV	H-806SFR-UV	H-807SFR-UV	H-808SFR-UV
Colour	White	Yellow	Blue	Green	Red	Orange	Hi-Vis Orange	Grey
Item Code	H-809SFR-UV	H-810SFR-UV	H-811SFR-UV					
Colour	Hi-Vis yellow	Navy Blue	Tan					

3M™ SecureFit™ H-Series helmet Accessories

Item Code	Description	Packaging (pcs/ctn)
SFH-700-RS4	Hard Hat Suspension Replacement SFH-700-RS4, 4 Point Ratchet	20
SFH-700-BP	Hard Hat Replacement Brow-Pad SFH-700-BP	20
1990	Elastic Chin Strap	100



3M™ SecureFit™ Safety Helmet

X5000 series

EN 12492, EN 397, AND EN 50365 (1000VAc)



X5001VE-CE X5002VE-CE X5003VE-CE X5004VE-CE



X5005VE-CE X5007VE-CE X5012VE-CE



X5014VE-CE



Brimless, 4-Point Chin Strap, 6-Point Ratchet Suspension, Vented, CE, with Uvicator, 4pcs per case

Item Code	X5001VE-CE	X5002VE-CE	X5003VE-CE	X5004VE-CE	X5005VE-CE	X5007VE-CE	X5012VE-CE	X5014VE-CE
Colour	White	Yellow	Blue	Green	Red	Orange	Black	Hi-Vis Green

X5500 series

EN 397 AND EN 50365 (1000VAc)



X5501NVE-CE X5502NVE-CE X5503NVE-CE X5504NVE-CE X5505NVE-CE X5507NVE-CE X5512NVE-CE X5514NVE-CE

Brimless, 4-Point Ratchet Suspension, Non-Vented, CE, with Uvicator, 4 pcs per case

Item Code	X5501NVE-CE	X5502NVE-CE	X5503NVE-CE	X5504NVE-CE	X5505NVE-CE	X5507NVE-CE	X5512NVE-CE	X5514NVE-CE
Colour	White	Yellow	Blue	Green	Red	Orange	Black	Hi-Vis Green

3M™ Comfort Cap

EN 812



Colour
Navy Blue

3M™ Chin Strap with buckle for X-series



X5-S4PTCS1
X5-S4PTCS2

Item Code	Description	Quantity	Per case
X5-S4PTCS1	4 Point Chin Strap with buckle for 3M X5500 series	10	
X5-S4PTCS2	4 Point Chin Strap with buckle for 3M X5000 series	10	

3M™ SecureFit™ X-5000 & X5500 Accessories

EN 397 or EN 12491



X5-SWBBD01 X5-6PTSTRAP X5-6PTSUS

Item Code	Description	Quantity	Per case
X5-SWBBD01	Black/Grey Replacement Sweat Band for SecureFit Safety Helmet	10	
X5-6PTSTRAP	6 Point Suspension strap for securfit Safety Helmets	10	
X5-4PTSUS	Replacement 4 Point Suspension for Securefit Safety Helmet X5000	10	
X5-6PTSUS	Replacement 6 Point Suspension for Securefit Safety Helmet X5000	10	

uvex Pheos B-WR

EN 397



9772030 9772130 9772330 9772530 9772930

Uvex Pheos B-WR, Long Brim, Wheel Ratchet Suspension, Three Air Vents for Ventilation, 25pcs per case

Item Code	9772030	9772130	9772230	9772330	9772430	9772530	9772930
Colour	White	Yellow	Orange	Red	Green	Blue	Black

uvex Pheos B-S-WR

EN 397



9772031 9772131 9772232 9772332 9772531 9772832 9772932

Uvex Pheos B-S-WR, Short Brim, Wheel Ratchet Suspension, Three Air Vents for Ventilation, 25pcs per case

Item Code	9772031	9772131	9772231	9772332	9772531	9772832	9772932
Colour	White	Yellow	Orange	Red	Blue	Dark Grey	Black

General features

- Safety helmet with slots for uvex visors, earmuffs and lamps
- Side Euroslot adapters (30 mm) for attaching earmuffs
- Three variable air vents for maximum ventilation
- Fitted with the 9760005 sweatband
- Meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal

uvex Pheos E-WR

EN 397



9770030 9770130 9770230 9770330 9770530 9770830

Uvex Pheos E-WR, Long Brim, Wheel Ratchet Suspension, Fit for Electricians, 25pcs per case

Item Code	9770030	9770130	9770230	9770330	9770530	9770830
Colour	White	Yellow	Orange	Red	Blue	Dark Grey

uvex Pheos E-S-WR

EN 397



9770031 9770131 9770331 9770531 9770931

Uvex Pheos E-S-WR, Short Brim, Wheel Ratchet Suspension, Fit for Electrician, 25pcs per case

Item Code	9770031	9770131	9770231	9770331	9770431	9770531	9770832	9770931
Colour	White	Yellow	Orange	Red	Green	Blue	Dark Grey	Black

General features

- Safety helmet with slots for uvex visors, earmuffs and lamps
- Side Euroslot adapters (30 mm) for attaching earmuffs
- Suitable for use by electricians as helmet shell is fully enclosed
- Meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash and is approved in accordance with N 50365 (1000 V AC)
- Fitted with the 9760009 sweatband

uvex Pheos IES

EN 397



9772040 9772140 9772240 9772340 9772540

Long Brim, Wheel Ratchet Suspension, Three Air Vents for Ventilation, Integrated Clip for Uvex Pheos Safety Spectacles, 25 pcs per case

Item Code	9772040	9772140	9772240	9772340	9772540
Colour	<input type="checkbox"/> White	<input type="checkbox"/> Yellow	<input type="checkbox"/> Orange	<input type="checkbox"/> Red	<input type="checkbox"/> Blue

General features

- Safety helmet with slot for uvex visor pheos visor, earmuffs, lamps and Integrated eyewear System(IES)
- With long brim
- Available in: white, yellow, orange, red, blue
- Six-point textile band attachment ensures optimal fit and comfort
- Three variable air vents for maximum ventilation
- Suspension harness with wheel ratchet for variable width adjustment – also has the option to mount uvex pheos safety spectacles

uvex

uvex Pheos Series Safety Helmet Accessories

EN 166, EN 170



9760012 9760009 9790005 9790021 9790031 9790022 9790149

Item Code	Description	Colour
9760012	Helmet suspension harness	Black
9760009	Sweatband for uvex pheos, uvex pheos E and uvex pheos alpine	Black
9790005	Leather Chin Strap	Black
9790021	Forked chinstrap for uvex pheos	Black
9790031	Elastic chinstrap for uvex pheos	Black
9790022	Goggle clip of uvex pheos	Clear
9790149	uvex spiderneck neck support	Black

uvex Pheos Alpine

EN 397, EN 12492



9773050 9773150 9773250 9773350 9773450 9773550 9773950

Uvex Pheos Alpine, Short Brim, Wheel Ratchet Suspension, c/w Four-Point Chin Strap, 6pcs per case

Item Code	9773050	9773150	9773250	9773350	9773450	9773550	9773950
Colour	<input type="checkbox"/> White	<input type="checkbox"/> Yellow	<input type="checkbox"/> Orange	<input type="checkbox"/> Red	<input type="checkbox"/> Green	<input type="checkbox"/> Blue	<input type="checkbox"/> Black

General features

- Multifunctional helmet for working at heights and rescue operations
- Combines the features of an industrial protection helmet (EN 397) with the requirements for a climbing helmet (EN 12492)
- Light ABS helmet shell offers a high level of protection and durability
- Permanently opened air vents
- Firmly riveted chin strap for use in accordance with EN 12492
- Six-point textile band attachment ensures ideal fit and great comfort
- Suspension harness with wheel ratchet system for variable width adjustment
- Side Euroslot adapters (30 mm) for attaching earmuffs and visor
- Shorter brim for a wider field of upward vision

Accessories



9760011 9760009 9790022

Item Code	Description
9760011	Helmet suspension harness
9760009	Sweatband for uvex pheos alpine
9790149	uvex spiderneck neck support

Accessories



9906005 9906007 9906006 9906009 9920001



9790075 9790076 2600214 2600215

Item Code	Description	Colour	SNR
9906005	Pheos visor	Clear	-
9906007	Pheos visor electrical arch class 2 anti-fog on the inside Leather Chin Strap	Clear	-
9906006	Pheos visor electrical arch class 1 anti-fog on the inside Elastic chinstrap for uvex pheos	Clear	-
9906009	Pheos visor with chin guard	Clear	-
9920001	Universal visor system for a wide range of helmets	Clear	-
9790075	Neck protection orange	Orange	-
9790076	Neck protection yellow	Yellow	-
2600214	Pheos K2P Helmet Earmuffs	Black	SNR: 30dB
2600215	Pheos K2P Magnet Helmet Earmuffs	Black	SNR: 30dB

uvex U-cap sport vent

EN 812



9794420
9794421
9794430

Short brim (4cm), hard case made of ABS, textile cap made of cotton and mesh fibre, black

Item Code	9794430	9794420	9794421
Sizes	52 to 54 cm	55 to 59 cm	60 to 63 cm

uvex U-cap sport hi-viz

EN 812



9794492
9794490
9794491 9794482
9794480
9794481

Hi-Vis Orange	9794492	9794490	9794491
Hi-Vis yellow	9794482	9794480	9794481
Sizes	52 to 54	55 to 59	60 to 63

Bump Cap

EN 812



BP65 (YE) BP65 (BL) BP65 (WH) BP65 (OR) BP65 (GN) BP65 (RD)

Item Code	BP65 (YE)	BP65 (BL)	BP65 (WH)	BP65 (OR)	BP65 (GN)	BP65 (RD)
Colour	<input type="checkbox"/> Yellow	<input type="checkbox"/> Blue	<input type="checkbox"/> White	<input type="checkbox"/> Orange	<input type="checkbox"/> Green	<input type="checkbox"/> Red

Bump Cap Chin strap

EN 397



M1

Item Code	Description
M1	Chin straps of the Blue Eagle safety helmet



Safety faceshields



BIBL- BROWGUARD

Product Name : Browguard
Standards : EN166, UKCA, ANSI Z87.1, AS/NZS1337.1, Z94.3
Material : High impact resistance ABS
Color : Blue (BIBL)
Headgear : Ratchet headgear (HGI)



A2- ABS BRACKET

Product Name : Bracket
Standards : EN 166 , ANSI Z87.1 , AS/NZSI337.1
Material : ABS
Color : Black



A4- ALUMINIUM BRACKET

Product Name : Bracket
Standards : EN 166 , ANSI Z87.1 , AS/NZSI337.1
Material : Aluminum
Color : Black



F48-FACE SHIELD VISOR WITH ALUMINIUM BOUND

Product Name : PC Face Shield Visor
Standards : EN166, UKCA, ANSI Z87.1, AS/NZS1337.1, Z94.3
Thickness: 1.0 mm
Size : 8" x 15½" (20 cm x 39 cm)
Material : Polycarbonate with aluminium bound
Color : Clear



F48N-FACE SHIELD VISOR

Product Name : PC Face Shield Visor
Standards : EN166, UKCA, ANSI Z87.1, AS/NZS1337.1, Z94.3
Thickness: 1.0 mm
Size : 8" x 15½" (20 cm x 39 cm)
Material : Polycarbonate
Color : Clear



FCR3 - SAFETY VISOR

Product Name : Aluminized PC Face Shield Visor
Standards : EN166, ANSI Z87.1
Thickness: 1.0 mm
Size : 8" x 15½" (20 cm x 39 cm)
Material : Polycarbonate
Color : Silver



633P-WELDING HELMET

Standards : EN175, UKCA, ANSI Z87.1, Z94.3
Material : PP
Color : Black
Type : Worn on the head
Lens holder : Flip-up
Lens size : 4¼" x 2" (108 x 51mm)



6PA2 - WELDING HELMET

Standard : EN175, ANSI Z87.1
Material : PP
Color : Black
Type : Head-mounted
Frame : Reversible frame
Frame size : 4¼" x 2"(108 x 51mm)



632P-WELDING HEADSHIELD

Standards : ANSI Z87.1
Material : PP
Color : Black
Type : Held in the hand
Lens holder : Fixed
Lens size : 4¼" x 2" (108 x 51mm)



633-04 -WELDING HEADSHIELD COVER LENS (CLEAR)

Standards : ANSI Z87.1
Material : Polycarbonate
Color : Clear
Size : 4¼" x 2" (108 x 51mm)
Shade Number : N/A





633-11 -WELDING HEADSHIELD COVER LENS (CLEAR)

Standard : ANSI Z87.1
Material : Glass
Color : Very Dark Green
Dimensions : 4¼" x 2"(108 x 51mm)



EYE PROTECTION

Designed to perform.

Curved Temples for enhanced security
Our design applies pressure on the less sensitive back of the head instead of the temples, achieving a comfortable fit even during rapid head movement.

3M Pressure Diffusion Temple Technology
3M's innovative temple design features slotted ribs that provide comfortable pressure equalization, allowing the temples to flex and self-adjust to the size and shape of the wearer's head.

The benefits are clear.

Fogged lenses can be frustrating and dangerous. But 3M™ SecureFit™ Protective Eyewear models featuring 3M™ Scotchgard™ Protector Anti-Fog Coating can help workers see clearly for longer, thanks to an active ingredient that bonds the coating to the lens.

Uncoated



Microscopic water droplets bead up, forming condensation and fog which obscure vision.



3M™ Scotchgard™ Protector Anti-Fog Coating



Reduced contact angle flattens water beads into a thin, transparent film that allows light to pass through.



3M™ Scotchgard™ Protector Anti-Fog Coating

- Resist fogging longer than traditional anti-fog coating through up to 25 washings with water.
- Helps provide scratch resistance in tough work environments.
- Designed for working in challenging situations, such as hot and humid conditions, indoor/outdoor work, physically demanding tasks and climate-controlled areas.
- The coating can be disinfected with diluted bleach soaking or alcohol wipes without losing its anti-fog performance.

* Based on 3M internal testing per EN1681 est. method when compared with traditional anti-fog coatings.

3M™ SecureFit Protective Eyewear

ANSI Z87.1-2003 and CSA Z94.1





SF401AF



SF402AF



SF410AS



SF-FOAM



SF401SGAF-BLU



SF402SGAF-BLU



SF407SGAF-BLU

Item Code	Lens Coating	Description
SF401AF	Clear	Anti-fog Lens
SF402AF	Grey	Anti-fog Lens
SF410AS	I/O	Anti-Scratch indoor/outdoor lens
SF-FOAM		Replacement Foam Gasket
SF401SGAF-BLU	Clear	Scotchgard Anti-fog
SF402SGAF-BLU	Grey	Scotchgard Anti-fog
SF407SGAF-BLU	I/O	Scotchgard Anti-fog

3M™ SecureFit Protective Eyewear

ANSI Z87.1-2003 and CSA Z94.1





SF301AF



SF301SGAF-LBL



SF302AF



SF302SGAF-LBL

Item Code	Lens Coating	Description
SF301AF	Clear	Anti-fog Lens
SF302AF	Grey	Anti-fog Lens
SF301SGAF-LBL	Clear	Ice Blue Temples, Scotchgard™ Anti-fog
SF302SGAF-LBL	Grey	Ice Blue Temples, Scotchgard™ Anti-fog

3M™ SecureFit™ Protective Eyewear

EN 166:2001/EN 170:2002





10434

Item Code	Lens Coating	Description
10434	Clear	Pure fit glasses, Clear Lens

3M™ SecureFit Protective Eyewear

ANSI Z87.1-2003 and CSA Z94.1





SF3701ASGAF-BLU



SF3702ASGAF-BLU



SF3707ASGAF-BLU



SF3750AS-BLK

Item Code	Lens Coating	Description
SF3701ASGAF-BLU	Clear	Scotchgard Protector Anti-fog Lens
SF3702ASGAF-BLU	Grey	Scotchgard Anti-fog
SF3707ASGAF-BLU	Grey	Scotchgard Anti-fog
SF3750AS-BLK	IR 5.0 Grey	Black Temples, Anti-Scratch

3M™ Visitor Overspectacles & OX™ Protective Eyewear

ANSI Z87.1-2003 and CSA Z94.1



1611



12163

Item Code	Lens Coating	Description
1611	Clear	Clear
12163	Clear	AF Lens, Black Secure Grip Temple

3M™ Safety Goggles

EN 166:2001/EN 170:2002





1621AF



1623AF

Item Code	Lens Coating	Description
1621AF	Clear	Polycarbonate Lens for Splash
1623AF	Clear	Anti-Fog Coat Hard-coated Polycarbonate

3M™ Protective Goggle 3000 Series

EN 166:2001/EN 170:2002





GG3101-SGAF



GG3301-SGAF

Item Code	Lens Coating	Description
GG3101-SGAF	SGAF Scotchgard	Polycarbonate Lens for Splash
GG3301-SGAF	SGAF Scotchgard	Anti-Fog Coat Hard-coated Polycarbonate

dry 0% RH



Now with twice the anti-fog performance

uvex supravision excellence

Interior	Performance	Exterior
▲▲▲▲	Anti-fog	▲▲▲▲
▲▲▲▲	Scratch-resistance	▲▲▲▲

- Unique dual-action permanent anti-fog coating on the interior of the lens and a scratch-resistant hard coating on the exterior. This allows each coating to perform at maximum efficiency.
- extremely scratch-resistant and chemical-resistant on the outside of the lens with non-stick, easy to clean technology
- long lasting anti-fog performance on the inside
- anti-fog performance will not diminish even after repeated cleaning
- suitable for a wide range of workplaces

dirty

uvex supravision sapphire

Interior	Performance	Exterior
▲▲▲▲	Anti-fog	▲▲▲▲
▲▲▲▲	Scratch-resistance	▲▲▲▲

- extremely scratch-resistant and chemical-resistant on both sides
- non-stick technology making eyewear easier to clean
- for challenging, dirty and/or dusty workplaces

cold -20 °C



uvex supravision plus

Interior	Performance	Exterior
▲▲▲▲	Anti-fog	▲▲▲▲
▲▲▲▲	Scratch-resistance	▲▲▲▲

- long lasting anti-fog performance and scratch-resistance on both sides
- anti-fog performance will not diminish even after repeated cleaning
- suitable for environments where there is high humidity and/or frequent temperature fluctuations

Find your ideal lens coating

1. Select the temperature which best represents your working environment on the horizontal temperature axis
2. Define the air humidity of your environment in percentage terms and find the value on the diagonal axis
3. Determine the level of dirt on the vertical axis.
4. Connect these three points to form a triangle
5. The part of the triangle with the largest area indicates the lens coating most suited for your workplace

clean

hot +35 °C



RH = air humidity

wet 100% RH



Lens tinting

A lens solution for every light environment



CLEAR

Protection: UV400
Marking: 2(C)-12
Transmission: approx. 91%
Standards: EN 166, EN 170;

Protection against mechanical hazards without glare

filter



AMBER

Protection: UV400
Marking: 2(C)-12
Transmission: approx. 88%
Standards: EN 166, EN 170;

Protection against mechanical hazards without glare, with contrast enhancement



CBR65

Protection: UV400
Marking: 5-1.4
Transmission: approx. 65%
Standards: EN 166, EN 172;

Protection offering relaxing, focused vision



AR (anti-reflective)

Protection: UV400
Marking: 2(C)-12
Transmission: approx. 96.5%
Standards: EN 166, EN 170;
► uvex sportstyle (p. 40), uvex i-3 (s. 44)

Optimum (anti-reflective) protection with high degree of light transmission



CBR23

Protection: UV400
Marking: 5-2.5
Transmission: approx. 23%
Standards: EN 166, EN 172;

Protection against natural glare with signal colour recognition and increased contrast effect

► uvex pheos nxt (p. 29), uvex i-5 (p. 37), uvex sportstyle (p. 40), uvex pheos cx2 (p. 41), uvex megasonic (p. 58)



SILVER MIRROR 53%

Protection: UV400
Marking: 5-1.7
Transmission: approx. 53%
Standards: EN 166, EN 172;

Protection in changing light conditions

► uvex pheos (p. 44), uvex i-works (p. 49)



GREY 23%

Protection: UV400
Marking: 5-2.5
Transmission: approx. 23%
Standards: EN 166, EN 172;

Protection against natural glare with signal colour recognition



POLAVISION

Protection: UV400
Marking: 5-31
Transmission: approx. 14%
Standards: EN 166, EN 172;

Protection against natural glare with signal colour recognition and increased contrast effect

► uvex polavision (p. 54)



SILVER MIRROR 12%

Protection: UV400
Marking: 5-31
Transmission: approx. 12%
Standards: EN 166, EN 172;

Protection from both high artificial light and natural glare conditions

► uvex sportstyle (p. 40), uvex pheos cx2 (p. 41), uvex i-3 (p. 44)



GREY 12%

Protection: UV400
Marking: 5-31
Transmission: approx. 12%
Standards: EN 166, EN 172;
► uvex pheos cx2 (p. 43)

Protection against natural glare with signal colour recognition

tint with glare protection not necessary



74 - 100% transmission




58 - 80% transmission



43 - 58% transmission



18 - 29% transmission



8 - 18% transmission

tint with glare protection recommended

tint with contrast adjustment recommended

tint with contrast adjustment not necessary

uvex UV400

100% UV protection. 100% safety. 100% uvex.



The EN166/170 standard requires safety eyewear to provide UV protection up to 380 nm. The latest scientific findings show that this is not enough. The WHO (World Health Organization) recommends UV protection up to 400 nm.



“The reasons why the WHO recommends UV400 protection are clear. The outer tissues of the eye, cornea and lens fully absorb UV light. While UVB light primarily damages the genetic material, UVA rays penetrate deeper, cause thermal damage and magnify the effects of UVB light.”

Univ.-Prof. Dr. rer. nat. Olaf Strauß



uvex UV400 — included in all uvex safety eyewear


Whether you choose clear or tinted lenses, all uvex safety spectacles are equipped with uvex UV400 effective UV protection as standard — as well as pleasant wearer comfort, a sporty design and top-quality lens coatings

Even without sun, UV rays can still put strain on the eye

When working outdoors, your eyes are regularly exposed to harmful UV radiation — even when it is cloudy. The result: using insufficient protection risks may cause dangerous long-term damage such as corneal injury, cataracts and blindness.

100% protection against dangerous UVA and UVB radiation


For the eye and surrounding skin



uvex UV400 offers complete protection against UVA and UVB radiation as well as high-energy visible light (HEV) up to a wavelength 400 nm

uvex UV400 not only filters 100% of UVA rays (20% still passes through 380 nm lenses), it also completely minimise temperature-induced cell changes — a factor which increase tenfold in the percentage of total cell damage in the range from 380 to 400 nm. In addition, the dangerous, damaging blue light content (HEV), which is also harmful to the retina, is reduced by 15%.

uvex safety eyewear,
100% safety.



uvex i-3 safety glasses

EN 166, EN 170, ANSI Z87.1



9190280



9190281



9190258



9190001

Item Code	Lens Coating	Description
9190280	Supravision excellence	i-3, Clear Lens
9190281	Supravision excellence	i-3, grey 23%
9190258	Replacement lens	Accessories
9190001	Uvex 9190001 i-3 clip-in frame	Accessories

uvex super f OTG spectacles

EN 166:2001/EN 170:2002



9169260



9169255

Item Code	Lens Coating	Description
9169260	Supravision excellence	Clear Lens
9169255	-	Accessories

uvex super OTG spectacles

EN 166:2001/EN 172:1994



9169412



9169545

Item Code	Lens Coating	Description
9169412	Extreme temperature ETC	Clear Lens
9169545	Infrarot plus welding protection level 5	Black/Green, Grey PC Lens

- classic overspecs for prescription spectacle wearers with an innovative temple concept and a flat lens that offers a wide field of vision
- flexible side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- robust polycarbonate lens with uvex's proven supravision coating technology — permanent anti-fog and scratch-resistant lens
- UV400 — 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- metal-free*

uvex super G, super fit, suXceed spectacles

EN 166:2001/EN 172:1994



9172110



9178265



9181265



9181281



9181255



9181001

Item Code	Lens Coating	Description
9172110	Supravision plus	SV Plus Clear/Grey, Clear Lens
9178265	Supravision excellence	Navy Blue/Clear Lens
9181265	Supravision excellence	Black, Blue, Clear Lens
9181281	Supravision excellence	Grey 23%
9181255	Replacement lens	Accessories
9181001	-	Accessories-Clip-in frame

uvex sportstyle

EN 166:2001/EN 170:2002



9193064



9193295

Item Code	Lens Coating	Description
9193064	Supravision excellence CBR65	Brown 65%
9193295	Supravision excellence	Clear Lens

uvex super OTG guard CB

EN 166:2001/EN 172:1994



9142100



9142105



9142106

Item Code	Description
9142100	Spectacles with hybrid system
9142105	Replacement Temples
9142106	Replacement headband

uvex pheos cx2 spectacles

EN 166:2001/EN 172:1994 + A1:2000 + A2:2001



9198064



9198261

Item Code	Lens Coating	Description
9198064	Supravision extreme CBR65	Light Brown Lens
9198261	Supravision extreme	Blue/Black, Clear Lens

uvex hypervision CB

EN 166:2001/EN 172:1994 + A1:2000 + A2:2001



9321906



9321955



9321011

Item Code	Lens Coating	Description
9321906	Hypervision CB	Clear Lens
9321955	-	Replacement lens
9321011	-	Replacement headband

uvex pheos spectacles

EN 166:2001/EN 170:2002



9192225



9192285



9192001



9958020

Item Code	Lens Coating	Description
9192225	Supravision excellence	Clear Lens
9192285	Supravision excellence	Grey Lens
9192001	-	Accessories - pheos clip-in frame
9158020	-	Accessories - pheos headband

uvex pure fit, i-5 safety glasses

EN 166:2001/EN 170:2002



9145265



9183064



9183415



9183001

Item Code	Lens Coating	Description
9145265	Supravision excellence SIRIM	Clear Lens
9183064	Supravision excellence	Brown Lens 65%
9183415	Supravision excellence	Clear Lens
9183001	-	Accessories-i-5 clip-in frame

uvex i-guard spectacles

EN 166:2001/EN 170:2002



9143266



9143296

Item Code	Lens Coating	Description
9143266	Supravision excellence	Clear Lens
9143296	Supravision excellence	Clear Lens

- Metal-free
- Frame colour: anthracite, blue
- PC lens: clear
- X-tended sideshield offers additional side protection

uvex eyewear accessories

EN 166:2001/EN 172:1994 + A1:2000 + A2:2001



9959002



9954360

Item Code	Description
9959002	Suitable for a wide range of uvex spectacles
9954360	Black, suitable for all uvex goggles and overspecs

• suitable for all uvex safety spectacles

uvex megasonic CB, hypervision CB

EN 166:2001/EN 170:2002



9320466



9320255



9320011

Item Code	Lens Coating	Description
9320466	Lens extreme temperature ETC	Clear Lens
9320255	-	Replacement lens
9320011	-	Headband replacement

uvex ultravision wide-vision goggle



9302245



9302255



9302500



9302045



9302085

Item Code	Lens Coating	Description
9302245	Supravision excellence	Clear Lens
9302255	-	Replacement lens
9302500	Supravision excellence	Clear Lens
9302045	Supravision excellence	Welding lens IV 5
9302085	Replacement flip up infradur	Accessories

uvex eyewear Cleaning Station



9970005



9973101



9971000



9972101

Item Code	Product Name
9970005	Cleaning station
9973101	Plastic pump
9971000	Refill CleaningTissue
9972101	Cleaning Solution


uvex wet cleaning wipes



9963005

- 100 pieces in cardboard box
- Individually packed
- Easy separation of the double sachets thanks to perforation
- Silicone-free
- Not antistatic
- Suitable for all UVEX lenses

Item Code	Product Name
9963005	Cleaning Towelettes



HEARING PROTECTION

The Challenge of Hearing Protection

You can advance your hearing conservation programme with a customised and comprehensive approach to the hearing protection challenge. Implementing a solution that really makes a difference begins with understanding the hazards, the regulation and the factors that impact protection.

The Facts

The #1 Reported Occupational Health Issue:

data from the Malaysia SOCSO for that noise induced hearing loss is one of the highest reported occupational diseases in Malaysia.

The Regulations


Malaysia OSHA Noise Exposure Limit (NEL)

• Employer shall ensure, nobody is allowed to be exposed exceeding:-

(A) Daily Noise Exposure Level - 85dB(A) (B) Maximum SPL - 115dB(A) at any time (C) Peak SPL - 140dB(C)

The Hazards

At home and work, it's important to understand which sounds may cause hearing loss and require hearing protection.



The Real World Hearing Concern of Hearing Protection Variable Noise Levels: Every environment is different and workers can face a wide range of sound levels throughout the day and in different areas at the same facility.

The Human Factor. Each person has a different shape, size and anatomy of the ear canal, so there is no one-size fits all hearing protection solution. The key to achieving optimal protection is having the best fit possible.

Employee Communication: Where there is an essential need for workers to communicate or hear warning sounds it is vital that their hearing is protected from hazardous noise levels.

3M™ Disposable Earplugs



3M™ E-A-Rsoft™ Yellow Neons™ Earplugs

- Proven size, shape, and foam.
- Moisture-resistant, dermatologically-safe foam is not irritating.
- Slow recovery foam provides comfort with low pressure.
- SNR 34 dB.
- **DOSH SIRIM approved**

Item Code	SNR	NRR	Description	Packaging
311-426	34dB	33dB	3M™ E-A-Rsoft™ Yellow Neons™ Earplugs	200 pairs/box, 10 boxes/case



1100 1110



3M™ 1000 Foam Earplugs

- Tapered design to fit the ear canal comfortably.
- Smooth, dirt resistant surface for hygiene.
- Can be combined with ear muffs for additional protection.
- Soft cloth cord for additional convenience and to help prevent loss of earplugs (1110 only).
- SNR 35 dB.
- **DOSH SIRIM Approved**

Item Code	SNR	NRR	Description	Packaging
1100	35dB	29dB	3M™ Uncorded Earplugs	200 pairs/box, 5 boxes/case
1110	35dB	29dB	3M™ Corded Earplugs	100 pairs/box, 5 boxes/case



ES-01-011A TR-01-000



3M™ E-A-Rsoft™ Metal Detectable Earplugs

- Implanted stainless steel ball in the earplug with metal infused cord detectable by metal sensing systems in the food and beverage industry.
- **DOSH SIRIM Approved**

Item Code	SNR	NRR	Description	Packaging
ES-01-011A	34dB	34dB	3M™ E-A-Rsoft™ Metal Detectable Corded Earplugs	200 pairs/box, 5 boxes/case
TR-01-000	39dB	25dB	3M™ E-A-R™ Tracers™ Metal Detectable Corded Earplug, in Pillow Pack	50 pairs/box, 4 boxes/case

uvex Earplug Dispenser Station



- Refill box, 300 pairs, loose
- Colour : lime
- Uncorded version

Item Code	SNR	Description
2112000		uvex Dispenser One 2 Click
2112022	37dB	uvex x-fit refill box for "one 2 click" dispenser

3M™ Reusable Earplugs



UF-01-000 UF-01-100

3M™ E-A-R™ UltraFit™ Earplugs • Reusable earplugs.

- Proprietary flange design gives the most comfortable fit of any reusable plug.
- Washable, promotes worker hygiene.
- No rolling or touching plug portion during insertion.
- SNR 29 dB.
- **DOSH SIRIM Approved**

Item Code	SNR	NRR	Description	Packaging
UF-01-000	29dB	25dB	3M™ E-A-R™ UltraFit™ Corded Earplugs, in Pillow Pack	50 pairs/box, 10 boxes/case
UF-01-100	29dB	25dB	3M™ E-A-R™ UltraFit™ Corded Earplugs, Carry Case	50 pairs/box, 4 boxes/case



1271



Storage case

Item	SNR	Description	Packaging
1271	26dB	3M™ Reusable Earplug 1271 Corded, Pillow Pack	50 Pairs/cartoon, 300 Pair/case
EPLUG-CASE	-	Earplugs Storage Case	-

uvex



2111237

uvex whisper Reusable Earplugs

- Easy-to-clean reusable earplugs with cord Smooth, dirt repellent surface can be easily cleaned using soap and water
- Hygienic storage of earplugs in hygiene box
- Colour: orange

Item Code	SNR	Description	Packaging
2111237	23dB	uvex Whisper Reusable Corded Earplugs, with casing	50 pairs/box, 4 boxes/case



3M™ PELTOR™ X Series Earmuffs



DESIGN

- Protected wire headband - building on the success design of the current 3M™ Peltor™ Optime™ range of earmuff.
- Light-weight dual mould cups with maximum space inside to help minimize heat and moisture build-up.
- Integrated design for more robustness.

COMFORT

- Easy to adjust headband.
- Wire headband with constant pressure over prolonged wearing periods.
- Twin headband design helps reduce heat build-up, provides good fit and balance.

PROTECTION

- Streamlined cups without compromising attenuation.
- Compatible with a range of 3M™ Eyewear and 3M™ Respirators (validated by internal testing).
- New smart sealing ring.

3M™ Peltor™ X4A, Over-the-Head Earmuffs



X4A X4P5SE HYX4

Item Code	SNR	NRR	Description
X4A	33 dB	27 dB	Over-the-Head Earmuffs
XP45SE	32 dB	25 dB	Hard Hat-Attached Earmuff
HYX4	-	-	Replacement Hygiene Kit, X4 Series

3M™ Peltor™ X5A, Over-the-Head Earmuffs



X5A X5P5SE HYX5

Item Code	SNR	NRR	Description
X5A	37 dB	31 dB	Over-the-Head Earmuffs
X5P5SE	36 dB	36 dB	Hard Hat-Attached Earmuff
HYX5	-	-	Replacement Hygiene Kit, X5 Series



H510A H510P3E HYX1

Item Code	SNR	NRR	Description
H510A	27 dB	21 dB	Over-the-head, Yellow
H510P3E	26 dB	21 dB	Helmet attached, Yellow
HYX1	-	-	Replacement Hygiene Kit, Optime I



H520A H520P3E HYX2

Item Code	SNR	NRR	Description
H520A	31 dB	25 dB	Over-the-head, Green
H520P3E	31 dB	23 dB	Helmet attached, Green,
HYX2	-	-	Replacement Hygiene Kit, Optime II

3M™ Peltor™ Optime™ III Series Earmuff



H540A H540B H540P3E HY54

Item Code	SNR	NRR	Description
H540A	34 dB	27 dB	Over-the-head, Black/Red
H540B	34 dB	29 dB	Neckband, Black/Red
H540P3E	33 dB	27 dB	Helmet attached, Black/Red
HY54	-	-	Replacement Hygiene Kit

Current ANSI S3.19 Certified			Recommended CE Certified Alternative		
Model	Noise Reduction Rating (NRR)		Model	Single Number Rating (SNR)*	
Optime™ 98 H9A	25 dB		Optime™ I H510A	27 dB	
Optime™ 98 H9P3E	23 dB		Optime™ I H510P3E	26 dB	
Optime™ 101 H7A	27 dB		Optime™ II H520A	31 dB	
Optime™ 101 H7P3E	24 dB		Optime™ 101 H520P3E	31 dB	
Optime™ 105 H10A	30 dB		Optime™ III H540A	34 dB	
Optime™ 105 H10P3E	27 dB		Optime™ III H540P3E	33 dB	
Optime™ 105 H10B	29 dB		Optime™ III H540B	34 dB	
X4A	27 dB		X4A	33 dB	
X4P5E	25 dB		X4P5E	32 dB	
X5A	31 dB		X5A	37 dB	
X5P5E	31 dB		X5P5E	36 dB	

Uvex Helmet Mounted Earmuff



- K2H Helmet Earmuff 2600202**
- Earmuffs, ideal for combining with helmet and visor
 - Suitable for all uvex safety helmets: uvex pheos B-WR, uvex pheos alpine, uvex airwing, uvex superboss (additional adapter systems for combination available on request)

Item Code	SNR	Description
2600202	SNR:30dB	Uvex K2H Helmet Earmuff






RESPIRATORY PROTECTION

DISPOSABLE RESPIRATOR



3M™ Disposable Respirator Preference Selector According To NIOSH US Standards

Use the selector below to identify which respirator may be preferred for increased worker comfort.



*3M recommended for ozone protection up to 10 times the OSHA PEL or applicable government occupational exposure limits, whichever is lower.

3M™ NIOSH N95 approved respirators



Standard



Item Code	Description	Packaging
9502+	Particulate Respirator, Vertical flat fold design, adjustable noseclip, DOSH SIRIM Approved	50 each/box, 8 boxes/case
9105	Adjustable noseclip, V-shaped pleats, flat-fold convenience, DOSH SIRIM Approved	50 each/box, 8 boxes/case
8210	Welded strap attachment, DOSH SIRIM Approved	20 each/box, 8 boxes/case

3M™ NIOSH N95 approved respirators

Comfort



Item Code	Description	Packaging
8511	M- Noseclip adjusts easily, DOSH SIRIM Approved	10 each/box, 8 boxes/case
8210V	Cool Flow™ Exhalation Valve, DOSH SIRIM Approved	10 each/box, 8 boxes/case
9210+	Three-panel, flat-fold design, DOSH SIRIM Approved	20 each/box, 8 boxes/case

3M™ Class 100 Respirators



Will suited for those who want NIOSH's highest rated filtration efficiency in a maintenance free respirator.


Item Code	Description	Packaging
8223	Particulate Respirator	20 each/case

3M™ Non-Valved Specialty Respirator



Item Code	Description	Packaging
8246	R95, Acid Gases	20 each/box, 6 boxes/case
8247	R95, Organic vapors	20 each/box, 6 boxes/case

3M™ Aura Non-Valved Respirators 9300A+ Series



- The respirator is for use against dusts found in a wide variety of industrial applications and other work situations, requiring P1 protection.
- DOSH Approval No: JKKP 04/20

- The respirator is for use against dusts found in a wide variety of industrial applications and other work situations, requiring P2 protection.
- DOSH Approval No: JKKP 06/20

Item Code	Description	Packaging
9320A+	FFP2/P2, DOSH SIRIM Approved	20 each/box, 12 boxes/case

3M™ Welding & Metal Pouring



Welding, metal pouring, torch cutting, brazing and soldering. They are also flame resistant as demonstrated per modified ASTM D2859.

Item Code	Description	Packaging
8212	N95, DOSH SIRIM Approved	10 each/box, 8 boxes/case
8215	N95, DOSH SIRIM Approved	10each/box, 8 boxes/case

3M™ Valved Specialty Respirator



Item Code	Description	Packaging
8576	P95, Acid Gases	10 each/box, 8 boxes/case
8577	P95, Organic vapors	10 each/box, 8 boxes/case

3M™ Aura Valved Respirators 9300A+ Series



Item Code	Description	Packaging
9312A+	FFP1/P1, DOSH SIRIM Approved	10 each/box, 12 boxes/case
9322A+	FFP2/P2, DOSH SIRIM Approved	10 each/box, 12 boxes/case
9332A+	FFP3/P3, DOSH SIRIM Approved	10 each/box, 12 boxes/case

3M™ Foldable Particulate Respirator



Item Code	Description	Packaging
9542	P2, Non-Valved respirator, DOSH SIRIM Approved	25each/box, 10 boxes/case
9542V	P2, "Cool Flow" Exhalation Valve, Valved respirator, DOSH SIRIM Approved	20each/box, 10 boxes/case
9501+	P2, Vertical flat-fold design, DOSH SIRIM Approved	50each/box, 10 boxes/case
9502V+	P2, Vertical flat-fold design, Adjustable noseclip, "Cool Flow" Exhalation Valve, DOSH SIRIM Approved	25each/box, 10 boxes/case

REUSABLE RESPIRATOR

3M™ Select the Right Facepiece






Respirator models	3M™ Half Facepiece Single Cartridge Respirator		3M™ Half Facepiece Dual Cartridge Respirator				3M™ Full Facepiece Dual Cartridge Respirator
	3000 series	HF series	6200 series	6500 QL series	7500 series	HF-800SD series	6800 series
3M™ Cool Flow™ Exhalation Valve		•		•	•	•	•
Compatible with 3M™ Supplied Air System			•	•	•		•
Compatible with 3M™ Powered Air Purifying Respirators							•
Speaking diaphragm						•	
Thermoplastic (TP) / Silicone(s) Face Seal	TP	S	TP	S	S	S	TP/S
Compatible with 3M™ Secure Click™ Cartridges and Filters						•	

3M™ Half Facepiece Single Cartridge Reusable Respirators

	Particulate Protection Only	Pre-attached, particulate and Gas & vapor Protection
 <p>3M™ Half Facepiece Single Cartridge Reusable Respirator 3000 series DOSH SIRIM Approved</p>	 <p>1700</p>	 <p>3311K-55 DOSH SIRIM Approved</p>
 <p>3M™ Half Facepiece Single Cartridge Reusable Respirator HF Series DOSH SIRIM Approved</p>	 <p>1744 / 1744C DOSH SIRIM Approved</p>	

3M Cartridges, Filters, Retainer and Adapters	
3311K-55	3M™ Organic Vapor Cartridge with P1 Pre-filter, KOSHA Standard
1700	3M™ Filter Holder for use with 1744/ 1744C
1744	3M™ P2 Particulate Filter, KOSHA Standard and AS / NZS 1716
1744C	3M™ P2 Particulate Filter with Nuisance Level Organic Vapour Relief, KOSHA Standard*

Ordering Information - Replacement Parts		
Model	Description	Packaging
For 3000 & HF-50 Series Facepiece		
 381	3M™ Head Harness Assembly	25ea/case
 382	3M™ Inhalation Valve	100ea/case
For 3000 Series Facepiece Only		
 383	3M™ Exhalation Valve	10ea/case















*3M recommends for relief from nuisance levels of organic vapors. Nuisance level refers to concentrations not exceeding the OSHA PEL, or applicable government occupational exposure limits, whichever is lower.

Note : Accessories & spare parts do not required DOSH SIRIM approval.

3M™ Dual Cartridge Facepiece Reusable Respirators



3M™ Facepieces	Thermoplastic Facepiece	Rugged Silicon Facepiece	Silicon Facepiece	Thermoplastic Silicon Facepiece
	DOSH SIRIM Approved	DOSH SIRIM Approved	DOSH SIRIM Approved	DOSH SIRIM Approved
	6100 (S)	6501 QL (S)	7501 (S)	6700 (S)
	6200 (M)	6502 QL (M)	7502 (M)	6800 (M)
	6300 (L)	6503 QL (L)	7503 (L)	6900 (L)

3M™ Cartridges and Filters	Particulate Filter	3M™ Filter Retainer and Adapter	Gas and Vapor Cartridges
	DOSH SIRIM Approved		DOSH SIRIM Approved
	 2125 P2R Filter  2128* P2R Filter  2135 P3R Filter  2138* P3R Filter  6035 P3R Filter  6038** P3R Filter	 502 Filter Adapter ¹  501 Filter Retainer  5935 P3R Filter	 6051 A1  6054 K1  6075 A1/ Formaldehyde  6059 ABEK1  6096 A1E1HgP3



















- Type A** For use against certain organic gases and vapors with boiling point higher than 65°C.
- Type B** For use against certain inorganic gases and vapors.
- Type E** For use against sulphur dioxide and other acidic gases and vapors.
- Type K** For use against ammonia and organic ammonia derivatives.
- Type Hg-P3** For use against mercury. Incorporates a particulate filter.

3M™ Particulate Filters and 3M Gas / Vapor Cartridges

All 3M™ Particulate Filters and 3M™ Gas / Vapor Cartridges can be used interchangeably with 3M™ Reusable Respirators 6000, 6500QL and 7000 Series.

3M™ Particulate Filters 2000 Series	Part Number	Description
 <ul style="list-style-type: none"> Lightweight and easy to breathe through. Assortment of filters available for a wide range of applications. Easier breathing through new 3-layer advanced Electret Filter Media. 	2125	3M™ Particulate Filter, P2R
	2128	3M™ Particulate Filter, P2R with Nuisance Level Organic Vapor / Acid Gas Relief*
	2135	3M™ Particulate Filter, P3R
	2138	3M™ Particulate Filter, P3R with Nuisance Level Organic Vapor / Acid Gas Relief*
3M™ Particulate Filters 6000 Series	Part Number	Description
 <ul style="list-style-type: none"> Unique, spring-loaded filter cover design simplifies negative pressure user seal checks. Swept-back design provides enhanced field of view and greater comfort. 6038 offers a lightweight, low profile design that combines P3R filtration with carbon-loaded features found in heavier combination cartridge products. Channelled airflow protects filter for enhanced breathability and longer service life. 	6035	3M™ Particulate Filter, P3R
	6038	3M™ Cartridge / Particulate Filter, Hydrogen Fluoride, P3R with Nuisance Level Organic Vapor / Acid Gas Relief*
3M™ PGas / Vapor Cartridges 6000 Series	Part Number	Description
 <ul style="list-style-type: none"> Swept-back design helps maintain good field of vision and comfort. Full range of cartridges to meet your needs Simple installation and usage requirements reduce training needs. 	6051	3M™ A1 Organic Vapor Cartridge
	6054	3M™ K1 Ammonia Cartridge
	6075	3M™ A1 Organic Vapor / Formaldehyde Cartridge
	6059	3M™ ABEK1 Multi Gas Cartridge / Vapor Cartridge
	6096	3M™ A1E1HgP3 Organic Vapor / Acid Gas / Mercury Cartridge with P3 Particulate Filter

3M™ 6000 & 7000 Series Replacement Parts

Ordering Information - Replacement Parts			
Product No.	Product	Description	Packaging
For 6200 Series Half Facepiece Respirators			
6281		3M™ Head Strap Assembly	20ea/case
6889		3M™ Exhalation Valve	10ea/case
For 6800 Series Full Facepiece Respirators			
6864		3M™ Center Adapter Gasket comes with 6896 & 7583	20ea/case
6894		3M™ Nose Cup Assembly	5ea/case
6896		3M™ Center Adapter Gasket	20ea/case
6897		3M™ Head Harness Assembly without buckle	5ea/case
6898		3M™ Lens Assembly	5ea/case
6899		3M™ Lens Frame Kit	5ea/case
102		3M™ Spectacle Kit	1ea/kit
6885		3M™ Face Shield Cover	100ea/bag
6886		3M™ Tinted Lens Cover	25ea/case
BAG		3M™ Respirator Drawstring Bag	4ea/pkt
For 6200 Series Half and 6800 Series Full Facepiece Respirators			
6893		3M™ Inhalation Valve	200ea/case
6895		3M™ Inhalation Gasket	80ea/case
For 7500 Series Half Facepiece Respirators			
7581		3M™ Head Harness Assembly	20ea/case
7582		3M™ Inhalation Valve	10ea/case
7586		3M™ Cartridge Filter Holder	20ea/case
For 7500 Series Half and 6800 Series Full Facepiece Respirators			
6583		3M™ Exhalation Valve	10ea/case

3M™ Secure Click™ Half Facepiece Reusable Respirator HF-800SD Series



Designed with smart and intuitive features, the 3M™ Secure Click™ Half Facepiece Reusable Respirator HF-800SD Series helps protect workers from particulates and a wide variety of gases and vapours when used with approved 3M™ Secure Click™ filters and cartridges

NEW

Speaking Diaphragm
Designed to help provide easier communication while working

NEW

Unique Filter & Cartridge Connection
Align the connections and push to hear a click

NEW

Push Button Seal Check
Provides increased worker confidence that the respirator is being worn properly.

Swept Back Filter & Cartridge Design
For compatibility with certain welding and grinding shields.



NEW

Proprietary Silicone Flex-Joint Faceseal
Provides a softer feel for more comfort on the wearer's face

Easy-Adjust Buckle
Simple two-way adjustability: pull straps to tighten, squeeze wings to loosen

NEW

Better Breathability
Two dual-flow cartridges on each respirator combine four airflow paths for easier breathing

Exhalation Valve
Helps direct exhaled breath and moisture downward

3M™ Secure Click™ Half Facepiece Reusable Respirator with Speaking Diaphragm
HF-801SD- Small
HF-802SD - Medium
HF-803SD- Large

Ordering Information - Replacement Parts

Product No.	Product	Description	Packaging
HF-800-02		3M™ Secure Click™ Inhale & Exhale Valve	10ea/case
HF-800-03		3M™ Secure Click™ Quantitative Fit Test Adapter Kit	1ea/case
HF-800-04		3M™ Secure Click™ Head Harness Assembly	5ea/case
HF-800-05		3M™ Secure Click™ Speaking Diaphragm Assembly	5ea/case

3M™ Secure Click™ Half Facepiece Reusable Respirator HF-800SD Series



Hear it:
Work with the confidence provided by the all new 3M™ Secure Click™ connection, that filters/cartridges are installed properly. Simply align the connections and push to hear a click.



Check it:
Increase worker confidence that the respirator is being worn properly with the easy, one-touch, user seal check



Feel it:
Experience the greater breathability and comfort provided by the world's first quad-flow gas and vapour filter/combination filter system.



Say it:
Utilise the speaking diaphragm designed to help provide easier communication while working.

3M™ Secure Click™ Full Facepiece Reusable Respirator FF-800 Series



Speaking Diaphragm
Designed to help provide easy communication.

Large Lens
Helps provide wide view for excellent peripheral vision.

Scotchgard™ protector on lens for improved paint and stain resistance. Comfort Cradle

Unique Filter & Cartridge Connection
Helps provide wearers confidence that the cartridges and filters are installed properly. Push

Comfort Cradle
Positions respirator more comfortably on head, reducing pressure points and hair pulling.

Push Button Seal Check
Easy way to conduct (positive pressure) seal check prior to

Exhalation Valve Cover
Helps direct exhaled breath and moisture downward.



Hear it:
Secure Click connection helps provide confidence that filters/cartridges are installed properly. Simply align the connections and push into place.



Check it:
Help increase worker confidence that the respirator is being worn properly with the easy, one-touch, user seal check



Feel it:
Experience the breathability and comfort provided by the world's first quad-flow gas and vapor filter/combination filter systems.



Say it:
Utilize the speaking diaphragm to help provide easy communication.

The 3M™ Secure Click™ Full Facepiece Reusable Respirator FF-800 Series Accessories & Spare Parts


Product No.	Description	Packaging
FF-400-01	3M™ Buckle FF-400-01	30 EA/Case
FF-400-02	3M™ Button FF-400-02	30 EA/Case
FF-800-01	3M™ Secure Click™ Lens Replacement FF-800-01	5 EA/Case
FF-800-05	3M™ Secure Click™ Head Harness FF-800-05	5 EA/Case
FF-800-02	3M™ Secure Click™ Lens Frame Assembly FF-800-02	5 EA/Case
FF-400-06	3M™ Comfort Cradle Head Harness Attachment FF-400-06	5 EA/Case
FF-400-07	3M™ Exhalation Valve Assembly FF-400-07	5 EA/Case
FF-800-03	3M™ Secure Click™ Inhalation Valve Assembly FF-800-03	10 EA/Case
FF-800-04	3M™ Secure Click™ Exhalation Valve Cover Assembly FF-800-04	5 EA/Case
FF-400-11	3M™ Nose Cup Assembly FF-400-11	5 EA/Case
FF-400-13	3M™ Speaking Diaphragm Assembly FF-400-13	5 EA/Case
102	3M™ Universal Spectacle Kit 102	1 EA/Case
7582	3M™ Inhalation Valve 7582, Replacement Part	10 EA/Bag
6583	3M™ Rugged Comfort Cool Flow™ Exhalation Valve, 6583, System Component	10 EA/Case
FF-400-15	3M™ Lens Cover FF-400-15	100 EA/Bag
FF-400-17	3M™ Semi-Permanent Lens Protector FF-400-17	20 EA/Case
FF-400-18	3M™ Stacked Lens Cover FF-400-18	1 EA/Case
6886	3M™ Tinted Lens Cover 6886, Accessory	25 EA/Bag
504	3M™ Respirator Cleaning Wipe 504/07065(AAD)	500 EA/Case
FF-800-06	3M™ Secure Click™ Quantitative Fit Test Adapter Kit, FF-800-06	1 EA/Case
FF-400-25	3M™ Reusable Nylon Respirator Storage Bag FF-400-25	10 EA/Case

Item Code	Description	Packaging
3M FF-801	3M™ Secure Click™ Full Facepiece Reusable Respirator - Small	4pcs/ case
3M FF-802	3M™ Secure Click™ Full Facepiece Reusable Respirator - Medium	4pcs/ case
3M FF-803	3M™ Secure Click™ Full Facepiece Reusable Respirator - Large	4pcs/ case

Product Matrix Selection: 3M™ Secure Click™ Dual Cartridge Facepiece Reusable Respirator



3M™ Facepieces



3M™ Cartridges and Filters




- Type A** For use against certain organic gases and vapors with boiling point higher than 65°C.
- Type B** For use against certain inorganic gases and vapors.
- Type E** For use against sulphur dioxide and other acidic gases and vapors.
- Type K** For use against ammonia and organic ammonia derivatives.

* Filter with nuisance level organic vapor / acid gas relief. 3M recommends for relief against nuisance levels less than OSHA PEL or applicable government exposure limits, whichever is lower. Do not use for respiratory protection against gases or vapors.

** Cartridge filter with hydrogen fluoride and nuisance level organic vapor / acid gas relief. 3M recommends for relief against nuisance levels less than OSHA PEL or applicable government exposure limits, whichever is lower. Do not use for respiratory protection against gases or vapors.

Note: All facepiece, cartridge and filters are DOSH SIRIM approved. Accessories and spare parts do not require DOSH SIRIM approval.



HAND PROTECTION

Mechanic & Dexterity Glove & precision Handling Glove



Item Code	Description	EN388	EN407	Packing
BG-XGI030	Bodyguard XG-1030 Grip X Rubber Coated Glove With Elastic Cuff, Green/Yellow	2142x	-	Pair
BG-HC500	Bodyguard BG-HC500 Premium Cotton Gloves, 500GM Yellow Beading, 10 Gauge	-	-	Per Dozan
WES-1000	Wellsmith #1000 (±750GM) Cotton Glove With Grey/Black Printed Line	-	-	Per Dozan
WES-1200	Wellsmith #1200 (±850GM) Cotton Glove With Red/Black Printed Line	-	-	Per Dozan
HS-BLKKNIT	Bodyguard Black Knitted Glove	-	-	10 pair/bag
HS-WHTKNIT	Bodyguard White Knitted Glove	-	-	10 pair/bag
HS-FINGERCOAT	Bodyguard White Pu Finger Coated Glove	-	-	10 pair/bag
HS-PALMCOAT-BK	Bodyguard Black Pu Palm Coated Glove	-	-	10 pair/bag
HS-PALMCOAT	Bodyguard White Pu Palm Coated Glove	-	-	10 pair/bag
HS-PALMDOT-BK	Bodyguard Black Knitted With White Pvc Dotted Glove	-	-	10 pair/bag
UX-60070	Uvex 60070 Phynomic XG Assembly Gloves	4121x	-	Pair
UX-60026	Uvex 60026 Athletic Lite XT Assembly Glove	4131x	X1XXXX	Pair
UX-60038	Uvex 60038 Phynomic Airlite A Esd Assembly Gloves	3110x	-	Pair
UX-60028	Uvex 60028 Athletic All-Round Dry/Damp Assembly Gloves	4122x	-	Pair
UX-60027	Uvex 60027 Athletic Lite Assembly Gloves	4131x	-	Pair
UX-60035	Uvex 60035 Athletic Lite Esd Gloves	4121x	-	Pair
UX-60573	Uvex 60573 Unilite 6605 Dry/Damp, Safety Gloves	4122x	-	Pair
UX-60248	Uvex 60248 Unipur 6639, Safety Gloves	4131x	-	Pair
ST-2015	Stego ST-2015 Mechanical & Multipurpose - Tactilite Glove	4132X	-	Pair
ST-2025	Stego ST-2025 Mechanical & Multipurpose - Tactiflex Glove	4131X	-	Pair
ST-2066	Stego ST-2066 Mechanical & Multipurpose - Nitri-Max Glove	4121X	-	Pair
ST-6014	Stego ST-6014 Mechanical & Multipurpose - Flexilite Glove	3131X	-	Pair
ST-7020	Stego ST-7020 Mechanical & Multipurpose - Optimax Palm Grip Glove	4121X	-	Pair
3M-CG-GU	3M Comfort Grip Gloves-General Use	4122X	-	Pair

Cut Protection



Item Code	Description	EN388	EN407	Packing
ST-7097	Stego Cut Protection - Cut Defender III Glove	4544E	-	Pair
ST-7096	Stego Cut Protection - Cut Defender II Glove	4543D	-	Pair
ST-7095	Stego Cut Protection - Cut Defender Glove	4543D	-	Pair
UX-60080	Uvex Phynomic C3 / B Foam Cut Resistant Glove	4543D	-	Pair
UX-60030	Uvex Athletic D5 XP Cut Resistant Glove	4543D	-	Pair
UX-60938	Uvex Unidur 6659 Foam Cut Resistant Glove	4X44C	-	Pair
UX-60492	Uvex C500 Cut Resistant Glove, Wet	4X42C	X1XXXX	Pair
UX-60494	Uvex C500 Cut Resistant Foam Glove, Dry/Damp	4X42C	X1XXXX	Pair
UX-60497	Uvex C500 Cut Resistant Glove, Dry	1X4XC	-	Pair

Impact Glove



Item Code	Description	EN388	EN407	Packaging
PW-A722	Portwest A722 Anti Impact Cut Resistant Glove - Nitrile Coated	4X43CP	X1XXXX	Pair
STG-9080	Shell Series 9080 Sandy Nitrile With Reinforced Thumb Impact Glove	4544FP	-	Pair
STG-9085	Shell Series 9085 Shell Scale Grip With Smooth Leather Wing Thumb Patch Impact Glove	4544FP	-	Pair
STG-9086	Shell Series 9086 Leather Palm Impact Glove	4544FP	-	Pair
60662	Hexarmor Helix 3000	4X43DP	-	Pair
60663	Hexarmor Helix 3001	4X43DP	-	Pair
60665	Hexarmor Helix 3003	4X42DP	X1XXXX	Pair
60666	Hexarmor Helix 3007	4X43DP	X1XXXX	Pair



Welding Glove



Item Code	Description	EN388	EN407	Packaging
UX-60286	Uvex 60286 Welding Glove #7100	2112X	-	Pair
STG-WG1202A	Steel Horse WG-1202A 16" Leather Welding Gloves	4233	-	12 pairs/bag
SLG-FP	Semi Leather Glove 10.5" (Full Palm)	-	-	12 pairs/bag
FLG-G	13" Full Leather Welding Glove	-	-	Pair

Heat Resistance Glove



Item Code	Description	EN388	EN407	Packaging
UVEX-60278	Uvex 60278 Unilite 7710F	4121X	X1XXXX	Pair
UVEX-60179	Uvex 60179 K-Basix Extra Heat Resistance Glove	2442D	X2XXXX	Pair
CHR2	Brasil 15.5" Seamless Terry Knit Cotton Lining Bonded With Neoprene Glove	2231X	X2XXXX	Pair
HCR3-2	HCR3-2 Kevlar Outer Shell Over Knitted Cotton Glove	-	X3XXXX	Pair
ASL-42-474	Ansell Crusader Flex Glove	2241B	X2XXXX	Pair
MAPA 332	Mapa Tempotec 332	2212X	X2XXXX	Pair

Cold Resistance Glove



UX-60592



STG-2075

uvex



Item Code	Description	Standard	EN511	Packaging
UX-60592	Uvex 60592 Unilite Thermo Plus Safety Gloves	3131X	010	Pair
STG-2075	Stego ST-2075 Mechanical & Multipurpose Glove - Tacti-Viz Thermo	3232X	021	Pair

Chemical Glove



UX-60557



UX-60536



UX-60949



UX-60957



UX-60971



UX-60971



UX-60188

uvex



SW-772



RNU9



RNF15



RNU2218



NEO-400

Item Code	Description	EN ISO 374-1:2018	EN388, EN407	Packing
UX-60557	Uvex 60557 Rubiflex XG 27cm, 35cm	JKNOPT	3121X XIXXX	Pair
UX-60536	Uvex 60536 Protector Chemical 40cm	JKNOPT	4X44C	Pair
UX-60949	Uvex 60949 Profabutyl B-05R 35cm	ABIKLNOT	2010X ESD	Pair
UX-60957	Uvex 60957 Profaviton BV-06 35cm	AFKLMN	2120A	Pair
UX-60971	Uvex 60971 U-Chem 3300 32cm	JKLOPT	2121X FOOR GRADE	Pair
UX-60968	Uvex 60968 U-Chem 3100 30cm	AJKLMO	4121X	Pair
UX-60188	Uvex 60188 U-Chem 3500 32cm	ACJKLMNOPST	3121X XIXXX	Pair
UX-60119	Uvex 60119 Profapren Polychloroprene Glove 33cm	AKLMNO	3131X	Pair
SW-772	Showa #772 Nitrile Coated Long Sleeve Glove 65cm	JKL	4111	Pair
RNU9	Rubberex RNU9 Unlined Nitrile Gloves - Blue 33cm	JKL	1000	Pair
RNF15	Rubberex RNF15 Medium Duty Nitrile Gloves - Green 33cm	JKLOPT	4101X	Pair
RNU2218	Rubberex RNU2218 Unlined Nitrile Gloves - Green 45.72cm	AJLOPT	4101X	Pair
NEO-400	Rubberex NEO-400 Neoprene Glove - Black 33cm	BKLOPT	2111X	Pair

Sleeve Protection



UX-60974



UX-60491



3M-SLV-GY



3M-SLV-BLK



3M-SLV-AQ




CR5-HPPEVT18

uvex

3M

Item Code	Description	Standard	Packing
CR5-HPPEVT18	Cr5 Lvl 5 Cut Resistant Arm Sleeve - 18" With Thumb Slot & Velcro Tape	-	Pcs
UX-60974	Uvex 60974 Unidur Sleeve C TL	2X4XC	Pcs
UX-60491	Uvex 60491 C500 Cut Resistant Sleeve	-	Pcs
3M-SLV-GY	3M PS2000 Cool Arm Sleeve - Black	-	Pcs
3M-SLV-BLK	3M PS2000 Cool Arm Sleeve - Grey	-	Pair
3M-SLV-AQ	3M PS2000 Cool Arm Sleeve - Aqua	-	Pair



NEW ARRIVAL

HULK

WHERE STRENGTH MEETS STYLE



ENGINEERED DESIGN

PU OUTSOLE

Functionable & Comfortable

- Smart water-flow disperses water, reduces slipping, safe on wet surfaces.
- High-flex flexible, reduces foot fatigue, all-day comfort.
- Reinforced durable, long-lasting, good value.
- Enhanced grip strong traction, stable on slippery or uneven ground.



H10-303
Hulk Series
3" Low Cut Lace Up Shoes

H10-503
Hulk Series
5" Mid Cut Lace Up Boots

WATERPROOF COATING • ESD • STYLISH

Discover the perfect fusion of power and style with the Hulk Series, our newest breakthrough in safety footwear. Built with genuine leather, it delivers unmatched durability, modern design, and advanced protection for professionals who demand tough performance with a sporty look.



SHOE SIZE CHART

EUR	35	36	37	38	39	40	41	42	43	44	45	46
UK (Men)			3	4	5	6	7	8	9	10	11	12
UK (Ladies)		4	5	6	7	8						

*Toe allowance approximately 10 mm.



www.bodyguardshoes.com

COMFORT & TOUGHNESS

Elevate your footwear experience with the Nitra.X Rubber Outsole – where durability, comfort, and style converge.



Nature form with wide fitting safety toe cap

BG8603
Premium Series
Zip Up Boots

BG8503
Premium Series
Mid Cut Lace Up Boots

NITRA.X

The NITRA.X Rubber Outsole is vulcanized and built to outlast conventional options, it resists wear and tear, ensuring your footwear durable with extended lifespan.

The NITRA.X Rubber Outsole with ergonomic arc design & Latex insole is tailored to provide optimal support and cushioning for your feet.

The NITRA.X Rubber Outsole is designed with sustainability in mind. Its extra lightweight construction reduces footprint.



NITRA.X
Outsole



- Heat resistance nitrile rubber sole
- Resistance to most common acids & alkalis
- Ergonomic arc design & latex insole for extra comfort
- Oil resistant upper leather & outsole

- A full grain buffalo leather
- Nature form with wide fitting safety toe cap
- Steel toe cap meets EN345 standards
- Reinforced side stitching for excellent bonding
- Steel Reinforced Midsole

PREMIUM SERIES



BG8603



BG8603 Premium Zip-Up boots
BG8503 Premium Mid Cut Lace-Up Shoe
EN345 (steel toe cap - 200 joules impact protection)

The new Premium Smart Work Boot is built with full grain buffalo leather to protect you from the elements. The steel toe offers the best in protection, and cushioning comfort that will not conduct cold or heat. Cement construction offers a soft ride with ease at every step, along with chemical hazard protection and an oil resistant outsole.

Style: Mid-cut, Laced-up (BG 8503) & Slip-on with zip (BG8603), Brown Upper. Full grain buffalo leather
Outsole: Nitra.X rubber with ergonomic arc design
Toe cap: Wide fitting steel toe cap
Midssole: Steel reinforced plate
Insole: EVA latex
Features: Heat resistant, Chemical resistant, Oil resistant
Size: 4-12

Item Code
 BG8603 (Lace-Up)
 BG8503 (Zip-Up)

SMART SERIES



BG303



BG303 3" Low Cut Lace-Up Shoes
EN345 (steel toe cap - 200 joules impact protection)

A classic style, now available with reflector. The smart yet classic black safety shoe delivers both steel-toe and steel-midsole protection as well as durability to get you through your day regardless of the work at hand. Comfort cushioning and quality leathers make this shoe an easy everyday choice on and off the job.

Style: Low-cut, Laced-up, Black
Upper: Full grain buffalo leather
Outsole: Nitra.X rubber with ergonomic arc design
Toe cap: Wide fitting steel toe cap
Midssole: Steel reinforced plate
Insole: EVA latex
Features: Heat resistant, Chemical resistant, Oil resistant
Size: 4-12

Item Code
 BG303



BG503



BG503 5" Mid Cut Lace-Up Boots
EN345 (steel toe cap - 200 joules impact protection)

The Mid-cut Smart Work Boot is a good all-around boot for tough projects and tough job sites. Available in steel-toe and steel-midsole, the Smart Work Boot offers heat resistance, chemical hazard protection, and comfort features that will keep you going all day long.

Style: Mid-cut, Laced-up, Black
Upper: Full grain buffalo leather
Outsole: Nitra.X rubber with ergonomic arc design
Toe cap: Wide fitting steel toe cap
Midssole: Steel reinforced plate
Insole: EVA latex
Features: Heat resistant, Chemical resistant, Oil resistant

Item Code
 BG503



BG603



BG603 6" Mid Cut Zip-Up Boots
EN345 (steel toe cap - 200 joules impact protection)

The Mid-cut Smart Zip-Up Work Boot is a good all-around boot for tough projects and tough job sites. Available in steel-toe and steel-midsole, the Smart Work Boot offers heat resistance, chemical hazard protection, and comfort features that will keep you going all day long.

Style: Mid-cut, Zip-up, Black Hi-Vis reflector
Upper: Full grain buffalo leather
Outsole: Nitra.X rubber with ergonomic arc design
Toe cap: Wide fitting steel toe cap
Midssole: Steel reinforced plate
Insole: EVA latex
Features: Heat resistant, Chemical resistant, Oil resistant
Size: 4-12

Item Code
 BG603



BASIC SERIES



BG302



BG302 3" Mid Cut Slip-On Shoes
EN345 (steel toe cap - 200 joules impact protection)

Style: Low-cut, Slip-on, Black
Upper: Full grain buffalo leather
Outsole: Nitra.X rubber with ergonomic arc design
Toe cap: Wide fitting steel toe cap
Midssole: Steel reinforced plate
Insole: EVA latex
Features: Heat resistant, Chemical resistant, Oil resistant
Size: 4-12

Item Code
 BG302



BG902B

BG902



BG902 9" High Cut Pull Up Boots
BG902B 9" High Cut Pull Up Boots
EN345 (steel toe cap - 200 joules impact protection)

Style: High-cut, Pull-up, Black (BG 902B)/ Brown (BG 902)
Upper: Full grain buffalo leather
Outsole: Nitra.X rubber with ergonomic arc design
Toe cap: Wide fitting steel toe cap
Midssole: Steel reinforced plate
Insole: EVA latex
Features: Heat resistant, Chemical resistant, Oil resistant
Size: 4-12

Item Code
 BG902 (Brown)
 BG902B (Black)

LADIES SERIES



BG201



BG201 Low Cut Lace-Up Shoes
EN345 (steel toe cap - 200 joules impact protection)

Style: Low-cut, Laced-up, Black
Upper: Full grain buffalo leather
Outsole: Nitra.X rubber with ergonomic arc design
Toe cap: Wide fitting steel toe cap
Midssole: Steel reinforced plate
Insole: EVA latex
Features: Heat resistant, Chemical resistant, Oil resistant
Size: 4-8

Item Code
 BG201



BG202



BG202 Low Cut Slip-On Shoes
EN345 (steel toe cap - 200 joules impact protection)

Style: Low-cut, Slip-On, Black
Upper: Full grain buffalo leather
Outsole: Nitra.X rubber with ergonomic arc design
Toe cap: Wide fitting steel toe cap
Midssole: Steel reinforced plate
Insole: EVA latex
Features: Heat resistant, Chemical resistant, Oil resistant
Size: 4-8

Item Code
 BG202





85458

85458 Uvex 1 S2 SRC lace-up boot

- Particularly lightweight, versatile S2 safety boot
- Made from synthetic materials, so suitable for people allergic to chrome
- All sole materials are free of silicones, plasticisers and other paint-wetting impairment substances
- Suitable for orthopaedic adjustments and insoles from uvex medicare
- Colour: black, lime

Item Code
85458



68242

68242 Uvex 1 G2 planet shoe S1 P SRC

- Breathable lining made from 18% bamboo and 52% recycled polyester for optimised climate management
- Uvex x-dry knit planet textile material made from 100% recycled PET bottles Exceptional wearer comfort thanks to new wider last
- Available in sizes: 35 to 52

Item Code
68242



68458

68458 Uvex 1 G2 boot S2 SRC

- Outstanding wearer comfort thanks to a newly developed last and climate-optimised, breathable materials
- Virtually seam-free construction made from high-tech microvelour material to eliminate pressure points, hydrophobic (oe, boot) and collar
- Sizes 35 to 40 have been produced using a women's last

Item Code
68458



65232

65232 Uvex 2 MACSOLE® S3 HI HRO SRC lace-up boot

- Low-weight and flexible S3 lace-up boot with MACSOLE® rubber outsole
- Foamed polyurethane scuff cap helps protect upper and increase product life
- Suitable for orthopaedic adjustments and insoles from uvex medicare according to DGUV 112-191 and ÖNORM Z1259
- Colour: black, orange
- Available in sizes: 35 to 52

Item Code
65232



68722

68722 Uvex 3 lace-up boot S3 SRC

- Outstanding wearer comfort thanks to a newly developed last and climate-optimised, breathable materials
- Virtually seam-free construction made from water-repellent leather to eliminate pressure points
- Available in sizes: 35 to 52

Item Code
68458




65092

65092 Uvex 2 lace-up boot S3 SRC

- Low-weight and flexible S3 lace-up boot with MACSOLE® rubber outsole
- Foamed polyurethane scuff cap helps protect upper and increase product life
- Available in sizes: 35 to 52

Item Code
65092



BODY PROTECTION

Nomex® for PPE

Nomex® offers a tested and proven portfolio of protective solutions that continues to meet or exceed global standards for heat, flame and arc flash protection.

PPE garments made with Nomex® provide the ultimate in heat and flame-resistant protection against a range of thermal hazards. From heat and flame to arc flash protection, Nomex® delivers uncompromising FR protection.



Nomex IIIA Coverall

- **Type** : Coverall
- **Material** : DuPont™ Nomex® IIIA
- **Composition** : 93% Nomex IIIA 5% Kevlar 2% P.140
- **Weight** : 4.5oz (150gram), 5.3oz (180gram)
- **Standard** : NFPA 2112, ISO 11612
- **Size** : S - 6XL
- **Available Color** :

Product Featured

- Slanted side pockets – allow for comfort and safe storage of items
- Radio/gas loops – allows radio or gas detectors to be easily attached.
- Two-way FR zipper closure to the centre front – allows coverall to be easily put on and taken off
- Elasticated waist – ensures improved comfort and better garment fit
- Bar tack reinforcement at numerous stress points on the garment – for durability
- Pen pocket on left sleeve – for fast access to a pen when needed
- Two chest pockets with zip fastening. – for safe storage of personal items.
- Tool pocket – enables vital tools and equipment to be carried .
- Chain stitching method – for added strength
- Sewn throughout with Aramid threads – consistency with FR compliance
- Triple needle stitching on inseams, out seams and arm seams.
- 2" wide FR reflective strips over shoulders, arms and legs – for added visibility and safety
- Highly fire-resistant zipper with cover flap.

Item Code
NMX-CV



Nomex Jacket & Pant

- **Type** : Jacket and Pant
- **Material** : DuPont™ Nomex® IIIA
- **Composition** : 93% Nomex IIIA 5% Kevlar 2% P.140
- **Weight** : 4.5oz (150gram), 5.3oz (180gram)
- **Standard** : NFPA 2112, ISO 11612
- **Size** : S - 6XL
- **Available Color** :

Product Featured

- Slanted pant pockets – allow for comfort and safe storage of items
- Concealed snap closure to the centre front – allows jacket to be easily put on and taken off
- Bar tack reinforcement at numerous stress points on the garment – for durability.
- Pen pocket on left sleeve – for fast access to a pen when needed.
- Two chest pockets with Velcro fastening. – for safe storage of personal items.
- Tool pocket – enables vital tools and equipment to be carried .
- Chain stitching method – for added strength.
- Sewn throughout with Aramid threads – consistency with FR compliance.
- Triple needle stitching on inseams, out seams and arm seams.
- Nickle-Free snap on cuffs.

Item Code
NMX-JKT
NMX-PANT



Proban Coverall

- **Type** : Coverall
- **Material** : SOLVAY PROBAN®
- **Composition** : 100% Cotton, 88% Cotton 12% Nylon
- **Weight** : 7.0oz (240gram)
- **Standard** : NFPA 2112, ISO 11612
- **Size** : S - 6XL
- **Available Color** :

Item Code
PROBAN-CV

Proban Jacket & Pant

- **Type** : Jacket and Pant
- **Material** : SOLVAY PROBAN®
- **Composition** : 100% Cotton, 88% Cotton 12% Nylon
- **Weight** : 7.0oz (240gram)
- **Standard** : NFPA 2112, ISO 11612
- **Size** : S - 6XL
- **Available Color** :

Item Code
PROBAN-JKT
PROBAN-PANT



Houston Coverall

- **Type** : Coverall
- **Material** : Houston FR
- **Composition** : 100% Cotton
- **Weight** : 7.0oz (240gram)
- **Standard** : ISO 13688 & Oeko-Tex
- **Size** : S - 6XL
- **Available Color** :

Item Code
HSTN-CV

Houston Jacket & Pant

- **Type** : Jacket and Pant
- **Material** : Houston FR
- **Composition** : 100% Cotton
- **Weight** : 7.0oz (240gram)
- **Standard** : ISO 13688 & Oeko-Tex
- **Size** : S - 6XL
- **Available Color** :

Item Code
HSTN-JKT
HSTN-PANT



Tanker Coverall

- **Type** : Coverall
- **Material** : Premium cotton fabric
- **Weight** : 7.0oz (240gram)
- **Size** : M - 4XL
- **Available Color** :

Item Code
TANKER-CV

Tanker Jacket & Pant

- **Type** : Jacket and Pant
- **Material** : Premium cotton fabric
- **Weight** : 7.0oz (240gram)
- **Size** : S - 6XL
- **Available Color** :

Item Code
TANKER-JKT
TANKER-PANT

Raincoat

Portwest H440 - Hi-Vis Yellow Rain Jacket

EN ISO 20471 Class 3 *Printing options available upon request*



Item Code
PW-H440

- Waterproof with taped seams preventing water penetration
- Extremely water resistant eco-conscious fabric finish, water beads away from fabric surface
- 2 pockets for secure storage
- Drawcord hood and hem for a secure and comfortable fit
- Reflective tape for increased visibility
- Size : S - 6XL

Portwest H441 - Hi-Vis Yellow Rain Trousers

EN ISO 20471 Class 1



Item Code
PW-H441

- Waterproof with taped seams preventing water penetration
- Extremely water resistant eco-conscious fabric finish, water beads away from fabric surface
- Twin-stitched seams for extra durability
- Reflective tape for increased visibility
- REACH compliant PVC coating

Portwest H445 - Hi-Vis Rain Coat 122 cm

EN ISO 20471 Class 1 *Printing options available upon request*



Item Code
PW-H445

- Waterproof with taped seams preventing water penetration
- Extra protection against the rain with a longer 122cm length
- Drawcord hood and hem for a secure and comfortable fit
- Size S-4XL, 6XL

PVC Rain Coat



- Abrasion knitted PVC polyester material
- Velcro in neck for hood, stronger wind resistance performance
- Transparent extended hood for better visibility
- Durable elastic band for well fitted pant waist and wind
- Reflective tapes for better visibility
- Water repellent PVC Material for a better rainy day performance
- 2 ample pockets for storage
- Covered air vents for wearing amenity

Item Code
GZ-RC-HV

Cold Room



Portwest S433 - Iona Lite Traffic Jacket Black

EN 343 Class 3:1 X WP 15,000mm



Item Code
PW-S433

- Waterproof keeping the wearer dry and protected from the elements
- Abrasion resistant oxford polyester
- Quilt lined for thermal insulation
- Size S-3XL

Portwest S482 - Iona Lite Winter Trousers

EN 343 Class 3:1 X WP 15,000mm



Item Code
PW-S482

- Waterproof with taped seams preventing water penetration
- Extremely water resistant PFAS free Texpel™ Splash Eco fabric finish, water beads away from fabric surface
- EN342 Protection against cold certified up to -36°C
- Abrasion resistant oxford polyester
- Fully lined and padded to trap the heat and increase warmth
- Stud adjustable hems for a secure fit
- Reflective tape for increased visibility
- Fully elasticated waistband for ultimate wearer comfort
- CE certified
- Size S-3XL

Portwest CS12 - ColdStore Coverall

EN 342 0.454MP: K/W (B), 2, X



Item Code
PW-CS12

- Abrasion resistant oxford polyester
- Quilt lined for thermal insulation
- Elasticated back waist for a secure fit
- Knitted cuff for comfort and warmth
- Reflective tape for increased visibility
- Zipped ankles for easy fitting over work boots
- Size M-XL, 2XL

Chemical Protective Coverall

ULTITEC 1800

EN ISO 13982 Type 5B



- Widely applied in multiple industries with its liquid splash protection capabilities.
- Enhance your wearing experience with highly breathable fabric.

Item Code | Sizes
BE-ULT1800 | M - XXL

DuPont™ Chemical Protective Coveralls



TV 1422 | TYC 2000 | TYC-A

Item Code	Products	Sizes
TV 1422	Dupont Tyvek Barrierman 500 Xpert Coverall	S - XXXL
TYC 2000	Dupont Tychem C 2000 Coverall	M - 3XL
TYC-A	Dupont Tychem C Apron	

Safety Vest

Standard Vest

- Knit polyester material
- Zipper closure with horizontal & vertical reflectives
- With nametag pockets



SV-AF0201



SV-AF0202



- Knit polyester material
- Zipper closure with horizontal & vertical reflectives
- With nametag pockets, pen holders & 2 pockets



SV-AF0402



SV-AF0403



Close up pockets



Zip Fastener

Safety Belt

- Knit polyester material
- With horizontal & vertical reflectives



Clip Fastener



SV-AA0501



SV-AA0502



SV-AA0503

- Mesh polyester material
- Velcro closure
- With reflective strips



SV-AA0108



SV-AA0101



SV-AA0105



Velcro Fastener





Model code: GZ-701

ERGONOMIC BACK SUPPORT

Helps to provide firm support and protection to the lower back region.



Help To Reduce Lower Back Discomfort

This effective back support is designed to stimulate blood and oxygen circulation for the encouragement of prevent and relieve backache with provide better back support, for better posture when standing and sitting for long hours.

High Visibility Reflective Back

Our ergonomic back support included with reflective at the back of it, for more visibility on low light working environment. Recommended that the belt should be worn over a layer of clothes to avoid skin discomfort from elastic material.



All are available in a wide range of sizes:

Size	S	M	L	XL	XXL
Waist (Inch)	<26 Inch	27.5 - 31.5 Inch	31.5 - 35.5 Inch	35.5 - 39.5 Inch	39.5 - 43.5 Inch

Item Code
GZ-701

Aprons



AT-APN-45B



BGT-B0703



56-009


54-299

56-100



PW-FW74

Item Code	Description
AT-APN-45B	Neoprene Apron
BGT-B0703	White Vinyl Apron
APR-JN	Jeans Apron
APR-LETHR	Leather Apron
APR-PVC	PVC Apron
APR-CANV	Canvas Apron
APR-IA-PE	PE Apron
56-009	Ansell Blue Vinyl Apron, 6 mil
54-299	Ansell White Polyethylene, 1 mil
56-100	Ansell Green PVC, Heavy Duty, 20mil
PW-FW74	Portwest FW74 - Safety Chest Wader S5 FO SR Black



DISPOSABLE PROTECTION
FOR FOOD INDUSTRY, CLEAN ROOM & MEDICAL

Disposable Mask



Bergamot Disposable Face Mask

- Lint Free layer provide extra comfort with cushioned ear loop and adjustable tie length
- Non-Fiberglass and Latex Free
- Extra 20% gap allowance for better breathability
- Ideal for hospitals, dental and clean rooms, food preparation and industrial environments
- Packing : 50pcs/box, 20boxes/ctn

Item Code	Description
BGT-0501	3-ply Lint Free Medical Face Mask – Ear Loop
BGT-0507	3-ply Lint Free Medical Face Mask – Head Loop
BGT-0519	3-ply Non-Woven Face Mask – Ear Loop
XV613	Cooper X 4-ply Lint Free Medical Facemask – Ear Loop



Bergamot PE Apron

- Lightweight
- 100% polyethylene
- Waterproof protection from neck to knee
- Color : White
- Size : 71 x 140cm



Item Code	Packing
BGT-B0702	100pcs/bag, 10bags/ctn

Polyester Lab Coat, long Sleeve Button White

- Available in short/long sleeve, button/velcro & 2 lower pockets
- Made of polyester
- Only in white
- Size: S - XXXL



Item Code	Description
Polyester	Long/Short Sleeve, Button/Velcro Fastener
Cotton Drill	Long/Short Sleeve, Button/Velcro Fastener
Local TC Cloth	Long/Short Sleeve, Button/Velcro Fastener

Bergamot CPE Shoes Cover

- First line barrier
- Economical
- CPE material
- Designed to protect against dirt, grime and liquid splash
- Color : Blue



BGT-0701

Item Code	Packing
BGT-0701	100pcs/bag, 20bags/ctn

Bergamot Mob Cap

- Non-woven with extra comfort with soft elastic head band
- Lightweight encapsulated double stitched
- Elasticated edge
- Prevent dander shedding.
- Color: White, blue, red, green, yellow



Item Code	Packing
BGT-B0601	100pcs/bag, 10bags/

Bergamot Isolation Gown

- Non-sterile
- Lightweight and breathable
- Isolate dust, particles, alcohol, blood, bacteria and virus invasion.
- Color : White
- Size : 115 x 140cm



Item Code	Packing
BGT-B0704	10pcs/bag, 10bags/ctn

Bergamot Non-woven Shoes Cover

- First line barrier
- Economical
- Non-woven material
- Designed to protect against dirt, grime and liquid splash
- Color : Blue



BGT-0706

Item Code	Packing
BGT-0706	100pcs/bag, 10bags/ctn



Nitrile Powder Free Examination Glove

<p>SE NITRILE POWDER FREE EXAMINATION GLOVES Size: XS S M L XL Size: B 100 PCS/ BOX 10 BOXES/ CTN</p> <p>Item Code: X2235</p> <ul style="list-style-type: none"> • Textured fingertip that improves grip • Ultra-soft fit that provides easy comfort • Latex free, reducing potential allergens • More stretchable with enhanced protection 	<p>SE NITRILE POWDER FREE EXAMINATION GLOVES Size: S M L Size: B 100 PCS/ BOX 10 BOXES/ CTN</p> <p>Item Code: X2230</p> <ul style="list-style-type: none"> • Textured fingertip that improves grip • Latex free, reducing potential allergens • Ambidextrous
<p>SE NITRILE POWDER FREE EXAMINATION GLOVES Size: S M L Size: VB 100 PCS/ BOX 10 BOXES/ CTN</p> <p>Item Code: X2235VB</p> <ul style="list-style-type: none"> • Textured fingertip that improves grip • Ultra-soft fit that provides easy comfort • Latex free, reducing potential allergens • More stretchable with enhanced protection 	<p>SE NITRILE POWDER FREE EXAMINATION GLOVES Size: S M L Size: B 100 PCS/ BOX 10 BOXES/ CTN</p> <p>Item Code: X2235BK</p> <ul style="list-style-type: none"> • Textured fingertip that improves grip • Ultra-soft fit that provides easy comfort • Latex free, reducing potential allergens • More stretchable with enhanced protection
<p>SE NITRILE POWDER FREE EXAMINATION GLOVES Size: S M L Size: W 100 PCS/ BOX 10 BOXES/ CTN</p> <p>Item Code: X3235WH</p> <ul style="list-style-type: none"> • Ultra-soft fit that provides easy comfort • Latex free, reducing potential allergens • Improved tactile sensitivity for handling precision • All rounder glove suitable for most industry 	<p>SE NITRILE POWDER FREE EXAMINATION GLOVES Size: S M L Size: P 100 PCS/ BOX 10 BOXES/ CTN</p> <p>Item Code: X2238PK</p> <ul style="list-style-type: none"> • Textured fingertip that improves grip • Ultra-soft fit that provides easy comfort • Latex free, reducing potential allergens • More stretchable with enhanced protection
<p>MAX PROTECT NITRILE POWDER FREE EXAMINATION GLOVES Size: S M L XL Size: B 100 PCS/ BOX 10 BOXES/ CTN</p> <p>Item Code: X2245</p> <ul style="list-style-type: none"> • Offers superior defence against selected chemicals • Provides exceptional durability in demanding 	<p>LC NITRILE POWDER FREE EXAMINATION GLOVES Size: S M L XL Size: B 100 PCS/ BOX 10 BOXES/ CTN</p> <p>Item Code: X2562</p> <ul style="list-style-type: none"> • Full textured for excellent grip • Latex free, reducing potential allergens • Strong glove for high protection
<p>CHEMTOUCH NITRILE GREEN PF GLOVES Size: S M L XL Size: GR 100 PCS/ BOX 10 BOXES/ CTN</p> <p>Item Code: X2260GR</p> <ul style="list-style-type: none"> • Full textured for excellent grip • Ultra-soft fit that provides easy comfort • Latex free, reducing potential allergens • Protection against chemical and dangerous substances 	<p>GRIP-X NITRILE POWDER FREE EXAMINATION GLOVES Size: M L Size: OR 100 PCS/ BOX 10 BOXES/ CTN</p> <p>Item Code: X2286OR</p> <ul style="list-style-type: none"> • Ultimate grip by diamond textured • Latex free, reducing potential allergens • Durable with higher strength • Best option for greasy works.

Latex Examination Glove





SE LATEX POWDER FREE EXAMINATION GLOVES

Size: XS S M L XL Size: W

100 PCS/ BOX 10 BOXES/ CTN

- Fully textured finish for an ultimate grip sensation
- Powder free (minimizing risks of allergy or irritation)
- 30% increase in elasticity for enhanced protection
- Ambidextrous

Item Code: Z3255

PE / CPE / Vinyl Glove/ Rubber Glove





VIVYL POWDER FREE EXAMINATION GLOVES

Size: S M L XL Size: CLEAR

100 PCS/ BOX 10 BOXES/ CTN

- Provides greater finger flexibility and reduces fatigue
- Powder free/ Latex free, reducing potential allergens
- Suitable for culinary art, bakery, F&B
- Ambidextrous

Item Code: V3243



CPE DISPOSABLE GLOVES

Size: FREE SIZE Size: CLEAR

100 PCS/ BOX 50 BOXES/ CTN

- Embossed surface
- Safe for food handling
- Minimize risk of viral contamination
- Ambidextrous


Item Code: B0403



ABCs of fall protection




The (A) anchorage/anchorage connector, (B) body support and (C) connecting device - when used together - form a complete system for maximum worker protection. But don't forget the other important components of a comprehensive fall protection programme: (D) descent and rescue, (E) education and (F) fall protection for tools.



Anchorage

Anchorage is a secure point of attachment.


Anchorage connectors vary by industry, job, type of installation and structure. They must be able to hold fast under the load of a fall, working in suspension or a rescue.



Body Support


Harnesses distribute fall forces over the upper thighs, pelvis, chest and shoulders.

They provide a connection point on the worker for the personal fall protection system.




Connecting Devices

Products such as shock absorbing lanyards or self-retracting lifelines connect a worker's harness to the anchorage.




Descent and Rescue

Descent and rescue devices are used to raise or lower a fallen or injured worker to safety or retrieve him from a confined space.



Education

We offer a variety of best-in-class certified training courses for work at height and confined spaces at our state-of-the-art training centres located around the world.



Fall Protection for Tools

Fall protection for tools helps make work environments safer and more productive by reducing dropped object incidents.

3M™ Fall protection harness fitting instructions



Before starting.

Remove all items from your pockets, as during work, or most importantly in the event of a fall objects in pockets can become trapped between the harness webbing and the wearer's body, potentially causing injury. Always refer to instruction for use supplied with the specific harness, concerning correct fitting and adjusting.

STEP 1: Getting started.

Hold harness by back D-Ring, which is often held in place by a D-Ring pad, make certain straps are not twisted.



STEP 2: Shoulder straps.

Hold harness by back D-Ring, which is often held in place by a D-Ring pad, make certain straps are not twisted.

STEP 3: Leg straps.

Reach between your legs and grasp the leg strap on your left side. Bring the strap up between your legs and connect it with the buckle on the left side (see Buckle Types). Connect the right leg strap using the same procedure. To adjust the leg straps see Buckle Types.



STEP 4: Chest straps.

Attach the chest strap buckle to the corresponding opposite side buckle (see Buckle types).



STEP 5: Waist belt (if present)

Attach the Waist strap buckle to the corresponding opposite side buckle (see Buckle types).



Step 6: Adjust harness to a snug fit

Adjust shoulder straps to a snug fit with the Vertical Torso Adjusters. The left and right sides of shoulder straps should be adjusted to the same length and the chest strap should be centred on your lower chest, approx. 15 cm down from shoulder. The front D-Ring on the vest style harness is moved up or down by adjusting the shoulder straps and leg straps. Centre the back D-Ring between your shoulder blades.

Note: On applicable models, the back (dorsal) D-Ring can be repositioned up or down on the harness webbing as needed for a correct fit. Re-adjust leg straps to a snug fit (see Correct leg adjustment). At least 8 cm of webbing must extend past the buckle on the leg straps. Adjust the waist belt (if present).

You're ready to go!


A properly donned and adjusted full body harness will effectively distribute impact forces throughout your body and provide appropriate support during suspension and rescue following a fall.



3M™ DBI-SALA® ExoFit™ XE200 Comfort X-Style Climbing/Positioning Safety Harness



Sizing chart



Size	Height (cm)
1	75 - 110cm
2	90 - 125cm
3	100 - 140cm

Item Code	Chest Buckle / Leg Buckle & Waist Buckle	Weight
1112729	Quick Connect Buckle / Auto-Locking Quick Connect Buckle/ size 1	2.20kg
1112730	Quick Connect Buckle / Auto-Locking Quick Connect Buckle/ size 2	2.30kg
1112731	Quick Connect Buckle / Auto-Locking Quick Connect Buckle/ size 3	2.40kg

- Cross Chest Buckle assembly for central front fall arrest attachment point - optimised position on body
- Revolving torso adjusters (patented) for quick and easy harness fit and adjustment
- Auto-locking quick connect buckles secure contact with webbing, reducing the need to readjust
- Integrated pSRL tunnel lets you quickly and easily connect and disconnect personal SRLs

- Suspension trauma relief straps with low-profile design included
- Automatic stand-up D-ring (lightweight aluminium) enables efficient dorsal connections
- Equipped with auto-resetting and re-positionable lanyard keepers for fast and easy parking of snap hooks and carabiners
- Certified to EN358, EN361

3M™ Protecta® Standard Vest Style Fall Arrest Harness



- Pass through buckles
- Rear fall arrest D-ring
- 1 x Sternal fall arrest D-ring
- Capacity of 140Kg



Item Code	Weight	Size
1161609	1.11kg	S
1161610	1.16kg	M/L
1161611	1.21kg	XL

3M™ Protecta® Comfort Belt Style Fall Arrest Harness



- Comfort belt
- Pass through buckles
- Rear fall arrest D-ring
- 1 x sternal fall arrest D-ring
- 2 x work positioning D-rings



Item Code	Weight	Size
1161755	1.85kg	S
1161756	1.90kg	M/L
1161629	1.95kg	XL



Item Code
1390010



Item Code
1390024



Item Code
1390235



Item Code
1390398

3M™ Protecta® P50 Harnesses

5-points adjustment full body harness with dorsal D-ring

3M PROTECTA FIRST 1390024 BASIC 5 POINT ADJUSTABLE FULL BODY HARNESS FOR 100KG



Attachment	Adaptability	Ergonomic	Material	Colour
One dorsal D-ring for fall arrest	Adjustable chest, shoulder and thigh strips	Ideally positioned sit-strap for extended comfort	44mm Polyester web	Dual-color webbing for easy wearing

5-points adjustment full body harness with chest and dorsal D-ring

3M PROTECTA FIRST 1390235 FIRST DOUBLE LANYARD FORKED ROPE



Attachment	Adaptability	Ergonomic	Material	Colour
One dorsal D-ring for fall arrest	Adjustable chest, shoulder and thigh strips	Ideally positioned sit-strap for extended comfort	44mm Polyester web	Dual-color webbing for easy wearing

1390235

Twin leg shock absorbing rope lanyard with one carabiner and two scaffold hooks



Carabiner	Hook	Length	Material
One auto-closed Screw-lock carabiner	Two scaffold hooks	2 meters Material	12mm polyamide twisted rope

1390398


Twin leg shock absorbing rope lanyard with one carabiner and two scaffold hooks



Carabiner	Hook	Length	Material
One auto-closed and auto-lock carabiner	Two scaffold hooks	2 meters Material	12mm polyamide twisted rope



3M™ DBI-SALA® Suspension Trauma Safety Straps 9501403



Step 1: Unzip packs to deploy **Step 2:** Pull out straps and hook **Step 3:** Put foot into web loop **Step 4:** Stand up relieve pressure

The suspension trauma straps are designed to prevent suspension trauma while a worker is awaiting rescue. It allows the worker, who is suspended, to stand up in their harness and to relieve the pressure being applied to the arteries and veins around the top of the legs. Has a weight capacity of 190kg.

Prevent Suspension Trauma Effect

1. Leg Circulation
Relieves the pressure being applied to the arteries and veins around the top of the legs after a fall

2. Heart Circulation
Reduces anxiety and the onset of shock which prevents an increased heart rate

3. Brain Circulation
Recirculates blood flow to the brain reducing the chance of going into cardiac arrest, having brain damage or death



Item Code	Description	Diameter	Weight
9501403	Suspension Trauma Safety Straps one pair, connects to most harnesses	2-1/4" x 1-1/2" (57mm x 38mm)	0.2 lbs. (91g)

- The two packs are compact, lightweight and easily installed to most harness sizes, styles and brands.
- after a fall, the packs can quickly be unzipped, deploying the web loop and hook straps which can easily be connected and adjusted to provide a strap for the foot to conveniently step into.
- This allows the worker to stand in their harness and relieve the pressure through the body while waiting for rescue.

3M™ Lanyards

3M™ DBI-SALA® EZ-Stop™ Shock Absorbing Lanyard

These lanyards are for use in situations where a user is exposed to a potential risk of fall. Whether they are made of rope or of webbing, whether they are adjustable or not, shock absorbing lanyards incorporate a shock absorbing system to ensure forces are limited in a fall to under 6 kN.

- 1 Shock Pack**
Smaller & lighter. Rated to 130 kg max. user weight.
- 2 Revolutionary 3M™ DBI-SALA® HI-10™ Energy Absorbing Technology**
5 x stronger than steel, extremely compact and durable.
- 3 Nylon Reflector Strips**
Better visibility in low light conditions.
- 4 Body Connector**
Aluminium Twist Lock or Triple Lock options for greater security.



Work Positioning & Restraint Lanyard



Item Code	Construction	Weight	Length	DOSH SIRIM Approved
1246557	3M™ DBI-SALA® EZ-Stop™ Expander Shock Absorbing Lanyard	1.5 kg	2 mm	Certified to EN355
1200313	3M™ DBI-SALA® Work Positioning Rope Trigger Lanyard	0.74 kg	0.74 kg	Certified to EN355
AL432/1	3M™ PROTECTA® PRO™ Rope Restraint Lanyard	1.39 kg	1.39 kg	Certified to EN355

3M™ DBI-SALA® Nano-Lok™ XL Web Self-Retracting Lifeline



Item Code	Cable Length	Connector Type	Gate Opening	Connector Material	Weight
3101617	3.4m	Captive Eye	19mm	Aluminium	1.2kg
3103867	6.0m	Swivel Snap Hook	19mm	Steel	3.0kg

Providing up to 33% more lifeline to the user. The additional length increases the anchorage options for the user and further establishes Nano-Lok as the most versatile personal SRL on the market.

- Made from 100% Corrosion free Polyethylene
- Lockable shutter protects from weather & theft
- Can be moved with forklift

3M™ DBI-SALA® Nano-Lok™ Twin Leg Web Self-Retracting Lifeline




Item Code	Cable Length	Connector Type	Gate Opening	Connector Material	Weight
3101270	2.0m	Rebar Hook	57.0mm	Aluminium	2.78kg
3101719	2.0m	Scaffold Hook	63.5mm	Aluminium	2.72kg

- Weight capacity 141kg
- Industry standards. CE
- EN360:2002

Confined Space Rescue System

3M™ DBI-SALA® Davit Arm Mechanical System



Engineered with lightweight materials like high-strength aluminum, 3M™ DBI-SALA® Hoist Systems are adjustable and extendable to meet the specific needs of your job site.

1. Winch

Davits can be equipped with both primary and secondary (back-up) mechanical devices.

2. Quick-Release Mounting Bracket

Detent-style brackets make installation fast and efficient.

3. 3-Way SRL

Davits can be equipped with both primary and secondary (back-up) mechanical devices.

4. Lower Mast Extensions

Allows the user to increase the anchorage height.

5. Base Options

Portable and fixed bases are available.

6. Variable Offset Mast

Ensures lifelines are always centered over confined space.

7. Built-In Pulleys

Route lifelines of two mechanical devices.

8. Fall Arrest Anchorage

Up to 5,000 lb. (22kN) rated anchor point for fall arrest device.

9. Adjustable Height

Eliminates the need for custom length masts and extensions.



3M™ DBI-SALA™ Confined Space Pole Hoist System

- Extendable pole hoist system, 6-10 ft. (1.8-3 m) extension with swivel head, winch/SRL mounting bracket and T-bar stabilizer.
- Extendable pole hoist system.
- Extends 6-10 ft. (1.8-3 m).
- Built-in pulley for lifeline.
- Swivel head rotates 360 degrees.

Item Code	Weight
8530253	12kg

3M™ DBI-SALA™ Salalift™ II Winches

Winch with 60 ft. (18 m) of 1/4 in. (6.3 mm) galvanized steel wire rope and swivel snap hook, mounting bracket and carrying bag.

- Manually operated winch.
- Gear ratio 6:1.
- Free-wheel mode.
- Quick mount bracket.

Item Code	Capacity
8102001	350 lbs. (159 kg)

3M™ DBI-SALA™ 7ft. Aluminium Tripod

7 ft. (2.1 m) aluminum tripod and Salalift™ II winch with 60 ft. (18 m) of 1/4 in. (6.3 mm) stainless steel wire rope, mounting bracket and carrying bag.

- Lightweight, durable aluminium construction.
- Telescoping adjustable locking legs.
- Built-in pulley system.
- 5,000 lb. (22kN) built-in head mounted anchor point.

Item Code	Capacity
8000000	350 lbs. (159 kg)



3M™ DBI-SALA® Self-Retracting Lifelines (SRL)

DOSH SIRM Approved



3400956 3400961 3400867 3400986 3400971

Item Code	Cable Length	Cable Material	Connector Material	Retrieval Winch	RSQ Design	Weight
3400956	15m	Stainless Steel	Stainless Steel	✓		14.9kg
3400961	15m	Stainless Steel	Stainless Steel		✓	13.0kg
3400867	25m	Stainless Steel	Stainless Steel			22.0kg
3400986	40m	Stainless Steel	Stainless Steel	✓		30.0kg
3400971	40m	Galvanized	Galvanized			26.0kg

3M™ PROTECTA® Self-Retracting Lifelines

Carabiner Included

Unit is ready for connection to anchor point.

Top Swivel

Limits lifeline twisting.

Thermoplastic Housing

Thermoplastic is lightweight, compact and durable.

Ergonomic Carrying Handle

Built-in handle adds comfort and ease-of-use when connecting to an anchor point.

Model No. 3590540

Wire Rope

7/32 in. (5.6mm) galvanized 5600 lb. (2540 kg) min tensile strength.

Energy Absorber

Fully integrated into lifeline. Specially designed for foot level tie-off.

Model	3590624	3590625	3590626	3590627	3590628	3591003
Cable Length	6m	10m	10m	15m	15m	15m
Cable Material	Galvanized	Galvanized	Stainless Steel	Galvanized	Stainless Steel	Stainless Steel
Connector Type	Swivelling Snap Hook					
Retrieval Winch						
Housing Material	Thermoplastic					Aluminium
Weight	5.3kg	5.6kg7	5.6kg	.5kg	7.5kg7	.5kg




Rescue and Descent Units

Features a Supertough® nylon rescue wheel. Includes carabiner (2), 4 ft. (1.22 m) anchor sling and rope bag



Model	Length
3307040	40m
3307060	60m
3307100	100m
3307150	150m



3320053 Self-Rescue Training Device

This 30-foot trainer device simulates a realistic fall rescue experience, allowing you to educate your team on the use of the product. It's easy to rewind the rope on-site, so you can train your team up to 20 times before recertification of the device will be required. Height: 19 in., Width: 7 in. Depth: 2.5 in., 30 ft. of 5.5 mm rope.



3M™ Rollgliss™ Rescue Ladder 8516294

Provides a way to assist rescue after a fall has occurred. It can be anchored to a structure and dropped to the victim, so they can climb up or down to safety.

- Available in 8 ft. (2.4 m) sections.
- Extra sections can be added.
- Includes three carabiners for attachment.
- For use with Rollgliss™ Rescue Ladder Anchor (8516316).



3M™ Rollgliss™ Rescue Ladder Anchor 8516316

Anchor 8516316 For mounting rescue ladder to a davit arm or single anchorage point.

- For use with Rollgliss™ Rescue Ladder (8516294).



3M™ DBI-SALA® Rollgliss™ Rescue Pole 8900298

Rescue poles have hooks to grab the lifeline of dangling workers and pull them toward the rescuer. Rescue poles extend the reach of a rescuer, allowing them to remain safe while retrieving a worker.

- Extension pole adjusts from 4 ft. to 16 ft. (1.2-4.9 m)
- Oversized connection hook with 2.25-inch gate opening
- Compact, lightweight aluminum construction built for fast and efficient rescue
- Perfect for use with the Rollgliss™ R550 rescue and descent device
- Carrying bag included



SPILL RESPONSE KIT & SAFETY CONTROL

GUARDZER® Oil Spill Kits

Product Code & Absorbent Capacity	GZ-120L	GZ-240L
2 Wheel Bin	1	1
Oil Absorbent Pad	100	100
Oil Absorbent Socks	3	4
Oil Absorbent Pillows	2	8
Disposable Bag with Cable tie	10	10
Disposable Coverall	2	2
Anti-Fog Goggle	2	2
Nitrile Gloves	2	2
Instruction/ Spillage Cleaning Guide	1	1
Contain Check List	1	1

*Refill available (sold separately)



GUARDZER® Universal Spill Kits

Product Code & Absorbent Capacity	GZ-120L	GZ-240L
2 Wheel Bin	1	1
Universal Absorbent Pad	100	100
Universal Absorbent Socks	3	4
Universal Absorbent Pillows	2	8
Disposable Bag with Cable tie	10	10
Disposable Coverall	2	2
Anti-Fog Goggle	2	2
Nitrile Gloves	2	2
Instruction/ Spillage Cleaning Guide	1	1
Contain Check List	1	1

*Refill available (sold separately)



GUARDZER® Chemicals Spill Kits

Product Code & Absorbent Capacity	GZ-120L	GZ-240L
2 Wheel Bin	1	1
Chemical Absorbent Pad	100	100
Chemical Absorbent Socks	3	4
Chemical Absorbent Pillows	2	8
Disposable Bag with Cable tie	10	10
Disposable Coverall	2	2
Anti-Fog Goggle	2	2
Nitrile Gloves	2	2
Instruction/ Spillage Cleaning Guide	1	1
Contain Check List	1	1

*Refill available (sold separately)



GUARDZER® Oil Spill Kit Refill

- SpillKlean Oil Absorbents have the unique property of repelling water and only absorbing oils and fuels. This makes them suitable for use on both land and water surfaces.
- All pad and rolls are dimpled and laminated for superior strength and absorption.
- 400 gsm pads can absorb up to 1.5 litres.

Model	Description	Size	UOM
GZ-OPW200	Oil Only Absorbent Pad	400 mm x 500 mm	100/Pads
GZ-OSW120	Oil Only Absorbent Sock	760 mm x 1200 mm	12/socks
GZ-POW400	Oil Only Absorbent Pillow	350 mm x 450 mm	12/Pillow



GUARDZER® Universal Spill Kit Refill

- Universal absorbents can deal with a wide range of fluids from acids to solvents to pesticides. The absorbent is available in a range of forms including rolls, pads, pillows and booms.
- Super absorbent polypropylene micro-fibres provide broad chemical compatibility.
- Dust free and low lint make these products suitable for food and beverage manufacturing. All pads and rolls are laminated with low-lint spun woven cover stock.

Model	Description	Size	UOM
GZ-UPG200	Universal Absorbent Pad	400 mm x 500 mm	100/Pads
GZ-USG120	Universal Absorbent Sock	760 mm x 1200 mm	12/socks
GZ-POW400	Universal Absorbent Pillow	350 mm x 450 mm	12/Pillow

GUARDZER® Chemical Spill Kit Refill

- Chemical absorbents can deal with a wide range of fluids from acids to solvents to pesticides. The absorbent is available in a range of forms including rolls, pads, pillows and booms.
- Super absorbent polypropylene micro-fibres provide broad chemical compatibility.
- Dust free and low lint make these products suitable for food and beverage manufacturing. All pads and rolls are laminated with low-lint spun woven cover stock.

Model	Description	Size	UOM
GZ-GPY200	Chemical Absorbent Pad	400 mm x 500 mm	100/Pads
GZ-GSY120	Chemical Absorbent Sock	760 mm x 1200 mm	12/socks
GZ-PCY400	Chemical Absorbent Pillow	350 mm x 450 mm	12/Pillow



Hazardous Material Disposable Bag

- Packing : 1Pkt = 24Pcs

Item Code	Size
HMDB 2430	24" x 30" x 0.1 mm
HMDB 4252	42" x 52" x 0.12 mm



GUARDZER® Portable Spill Kits



Spill kit, chemical spill kit or chemical spill cleanup kit – whatever you want to call it, your kit is an essential tool to assist with the cleanup, decontamination, and disposal of waste in the event of a hazardous chemical spill. Spill kits are an assembly of various materials and tools which will aid the clean up of a chemical leak or spill.



30L Portable Spill Kits

Model	Type	Colour	Capacity	Contents
GZ-30 OIL	Oily Only	White	30L	<ul style="list-style-type: none"> • 1 pcs of 30 L nylon bag • 20 pcs of absorbent pads • 2 pcs of absorbent socks • 2 pcs of disposable bags • 2 pcs cable tie • 1 pair of nitrile glove • 1 sheet of instruction • 1 sheet of contain checklist
GZ-30 CHEM	Chemical	Yellow	30L	
GZ-30 UNI	Universal	Grey	30L	



50L Portable Spill Kits

Model	Type	Colour	Capacity	Contents
GZ-50 OIL	Oily Only	White	50L	<ul style="list-style-type: none"> • 1 pcs of 50 L nylon bag • 30 pcs of absorbent pads • 2 pcs of absorbent socks • 2 pcs of absorbent pillow • 2 pcs of disposable bags • 2 pcs cable tie • 1 pair of nitrile glove • 1 sheet of instruction • 1 sheet of contain checklist
GZ-50 CHEM	Chemical	Yellow	50L	
GZ-50 UNI	Universal	Grey	50L	

Solid Float PVC Oil Spill Containment Boom

Solid float PVC oil spill boom is made of double-sided bright-colored high-strength PVC cloth, it is an important equipment for preventing spilled oil on waters from diffusion and transfer, also for emergency response in oil spilling accidents. Boom body is equipped with a pulling rope, a strengthening ribbon, and tensile ballast chain. With the feature of quick deployment and convenient operation, it is widely used on rivers, harbors, lakes, offshore oil platforms, specially suitable for long-term fixed deployment on waters.



Solid Float PVC Oil Spill Containment Boom

Model	Freeboard (mm)	Draft (mm)	Section Length (m)	Tension Strength (kn)	Wave Height (m)	Wind Speed (m/s)	Flow Rate (kn)	Standard connector
WSF600	180	320	20	45	0.3	8	1	ASTM connector
WSF750	260	400	20	50	0.5	10	1.5	ASTM connector
WSF900	330	540	20	60	1	15	1.5	ASTM connector
WSF1100	380	615	20	90	1.5	20	2	ASTM connector
WSF1500	510	740	20	130	2	20	3	ASTM connector

SpillFix

SPILLFIX General Purpose Organic Absorbent



- Ultimate best seller for Industrial Use.
- OMRI Certified for use in Organic inputs.
- NSF Listed for use as an absorbent in Food manufacturing.
- Premium absorbent made of 100% recycled material.
- Extremely effective on the absorption of hydrocarbons, water-based fluids and most aggressive chemicals.
- Certified safe for landfill disposal.
- Lightweight and easy to deploy.

Item Code	Description	Weight
OA50L	Granular, Coconut Husk, Coir	50 Litre / 9 kg
OA15L	Granular, Coconut Husk, Coir	15 Litre / 3.2 kg

crisben

GranuZorb – Absorbent Floor Sweep



- Easy to use and handle
- Eco-friendly and sustainable
- Low-dust formula – safer for breathing
- Improves surface stability after cleaning
- High and fast absorption capacity
- Suitable for industrial, workshop, warehouse, or general use

Item Code	Description	Weight
-	Granular, Coconut Husk, Coir	9 Litre & 1 Litre



Chemical Safety Storage Cabinet

Manufactured in Accordance to OSHA & NFPA Standards



3 Point Latch Lock Welded Shelf Hangers PP Tray (optional)

- Twin doors with 3-point latch grip handles
- Air vent holes
- Baked epoxy finish
- Prominent hazard label at door
- Levelling screws at foot
- Adjustable shell
- Not Suitable for sulphuric/nitric acid storage

Code	Construction	Gallon	Length x Depth x height (mm)
MC 256-04	1 door, 1 shelf	4	560 x 435 x 435
MC 259-12	1 door, 1 shelf	12	590 x 460 x 890
MC 265-22	1 door, 3 shelf	22	590 x 460 x 1650
MC 289-22	2 door, 1 shelf	22	890 x 640 x 890
MC 209-45	2 door, 2 shelf	45	1090 x 450 x 1650
MC 286-60	2 door, 2 shelf	60	865 x 865 x 1650



Flammable Safety Storage Cabinet

Manufactured in Accordance to OSHA & NFPA Standards



- Twin doors with 3-point latch grip handles
- Air vent holes
- Baked epoxy finish
- Prominent hazard label at door
- Levelling screws at foot
- Adjustable shell

Code	Construction	Gallon	Length x Depth x height (mm)
MC 156-04	1 door, 1 shelf	4	560 x 435 x 435
MC 159-12	1 door, 1 shelf	12	590 x 460 x 890
MC 165-22	1 door, 3 shelf	22	590 x 460 x 1650
MC 189-22	2 door, 1 shelf	22	890 x 640 x 890
MC 109-45	2 door, 2 shelf	45	1090 x 450 x 1650
MC 186-60	2 door, 2 shelf	60	865 x 865 x 1650



4 DRUMS CHEMICAL SPILL PALLET

Model code: **GZ-SP4DPR**


Guardzer chemical spill pallet can hold spilled fluids, which helps store and tranship oil drums, chemical barrels and other containers for spill prevention and control.



Item Code : GZ-SP4DPR
Brand : Guardzer
Product Type : Chemical Spill Pallet
Dimensions : 130 x 130 x 30 CM
Spill Capacity: 250 L
Material : HDPE
Loading Capacity : Static 3000KGS Dynamic 1500 KGS
Tare Weight : 36 KG + 5%

Function

- To prevent environmental pollution and, more importantly, ensure personal safety, it is especially suitable for storing and packaging corrosive chemicals in raw material warehouses and temporary chemical storage facilities. A spill pallet is designed to capture any liquid overflows.
- Reduce the risk of slipping and prevent potentially fatal accident.
- Save space and transportation cost.



SPC0601



Single IBC Drum Spill Pallet, 4 way

- Four-Way forklift access for loaded Spill Pallets
- Made from 100% Corrosion free Polyethylene
- Meets EPA sump requirements
- Broadband chemical resistance including acids & caustics

Item Code	Material	Dimension	Load Bearing Capacity	SumP Capacity
SPC0601	LLDPE	135x135x90cm	3000kg	343Gal/1300L




SPC0102



2 Drums Spill Pallet, 2 Way

- Tough polyethylene construction for maximum durability
- Robust & chemically resistant
- Two-ways forklift access for loaded spill pallet

Item Code	Material	Dimension	Load Bearing Capacity	SumP Capacity
SPC0102	LLDPE	130x69x30cm	1200kg	40Gal/1500L



SPECIAL TASK FORCE, FIRE RESPONSE EQUIPMENT

Emergency Response Team

PAB Akrapovic Fire Compact Helmet

EN 443:2008 | EN 14458:2004 | EN 166 | MED Approved

- Extreme temperature resistance (up to 1000°C in a 10 second flash)
- Long-term temperature resistance (up to 250°C / 30 min, radiant)
- High resistance to mechanical impacts
- Electrical insulation capacity E2
- Effective visibility achieved by reflective tape for optimal use in
- 3 point chinstrap (tested to prevent skin irritation, meta-aramid tape FR)
- Head and headband padding, easily replaceable

Item Code
FMH-PAB



Fire Fighting Gloves

EN659

- Internal lining : Made of extremely close-meshed knitted material 100% 3 Layer Glove
- Soft and Durable Fire Retard
- Water Proof Cowhide Leather
- DuPont Fiber Glass Kevlar Lining For Cut Protections, Waterproof & Breathable Membrane
- Stitched With 100% Genuine DuPont Non Flammable Thread (DuPont Kevlar Knitted)
- Wristlet For Wrist Protection.
- Elasticated Wrist For Perfect Fitting.
- Stainless Steel Snap Hooks

Item Code
ANGEL



Fire Fighting Suit

EN 443:2008 | EN 14458:2004 | EN 166 | MED Approved

- Internal lining : Made of extremely close-meshed knitted material 100% Kevlar
- Knitted welt : 100% Kevlar knitted material
- Insert : Moisture barrier, waterproof, windproof, breathable Color : Black/ Mustard Yellow
- Size : 6-13
- Comply EN388 : Abrasion (Level 5), Cut Resistance (Level 2), Puncture Resistance (Level 4) & Tear Resistance (Level 3)
- Comply EN407 : Burning Behaviour (Level 4)

Item Code
TOG-988



HARVIK Fire Fighting Boots

CE, ANSI / NFPA (USA), CSA (Canadian) and SANZ (New Zealand)

- Footwear for firefighters suitable for fire rescue, fire suppression, property conservation & etc
- Extra comfort lining with woven cotton canvas
- Chemical Resistant (mild acids and alkalines)
- Non-corrosive stainless steel midsole, withstands sharp objects
- Fuel oil resistant sole suitable for inimical environment

Item Code
HV-FB-9687L



3M™ Scott™ Air-Pak™ X3 Pro SCBA

Compliant to NFPA 1982, Standard on Personal Alert Safety Systems (PASS), 2018 Edition



- Compliant to NFPA 1981, Standard on Open-Circuit Self-Contained Breathing Apparatus (SCBA) for Emergency Services, 2018 Edition
- Compliant to NFPA 1982, Standard on Personal Alert Safety Systems (PASS), 2018 Edition
- New harness materials offer greater resistance to chemical exposure and less water absorption to help minimize contamination
- Easy-to-remove harness allows for cleaning to help with exposure reduction
- New shoulder harness design improves the ease of donning and minimizes pressure points to help reduce user fatigue
- Natural articulation (i.e. waist pad) promotes greater range of motion to the user, while transferring weight to the hips for a more balanced load
- Redundant safety features afford firefighters peace of mind knowing that the SCBA will perform in the toughest environments
- 3M™ Scotchlite™ Reflective Material delivers enhanced visibility of the SCBA when operating in low-light conditions, improving safety and accountability on the fireground

Item Code
2027157

CROWCON T4 – Crowcon



T4 is Crowcon's personal protection solution for detecting the four most common gas hazards:

- carbon monoxide
- hydrogen sulphide
- flammable gases
- oxygen depletion

Offering you compliance, robustness and low cost of ownership in a simple to use solution. The large single button and intuitive menu system allows T4 to be operated wearing gloves with minimal training.

T4 contains a wide range of powerful features to make everyday use easier and safer:

- TWA Resume
- 18 hour battery
- Positive Safety
- KDF T4 Datasheet 2022

Item Code
CCN-T4-HOCA

Honeywell FENZY Bio-Scape EBA

Apparatus type-approvals: EN1146 : 2005, SOLAS, MSC, MED et IMO



- The Bio-S-Cape is a compressed air emergency escape breathing device (E.E.B.D). It is designed for escape in toxic or oxygen-deficient environments, requiring easy and immediate donning
- Reducer triggered automatically when the bag is opened
- Back of the head cushion inflates automatically to keep it in place
- Powerful alarm whistle to indicate end of operation and non-metallic : positioned next to the ear and does not consume air
- Adjustable hood for all face shapes and accommodates facial hair and spectacles
- High-visibility hood, resistant to extreme temperature, humidity and chemical environment
- Dimensions : 500 x 180 x 180 mm
- Duration : 15 mins (With 3L 200 bar Air Cylinder)
- Approved Temperature : -15°C / +60°C
- Total weight of the apparatus with 3L 200 bar composite air cylinder is approximately 3.45 kg

Item Code
BIO-EEBD

Crowcon Clip SGD Single Gas Detector – Hydrogen Sulphide (H2S) Carbon Monoxide (CO) Oxygen (O2)



- Crowcon Clip SGD Single Gas Detector – reliable and durable fixed life gas detector in a compact and maintenance-free package, the Crowcon Clip has a 2-year life
- Simple Operation – The Crowcon Clip SGD single gas detector has a single button operation and is compact and lightweight in design
- Maintenance – The Clip SGD has changeable alarm levels to keep up to date with changes in procedure, has an LED indication to let the user know that a Bump Test is due and is compatible with a C-bump test solution with configuration update
- Efficiency – This portable gas detector can be used in a variety of operating temperatures and has IP66 and IP67 making it suitable for the harshest environments

Item Code
CCN-CLIP

Arc Flash Protection

HRC 1 Arc Flash Kit



ASTM F1959 NFPA2112, ISO11612NFPA 2112



Item Code
ARC-FS4

Arc Rating : HRC 1 (4 cal/cm²)
Brand : DuPont™
Composition : Nomex® IIIA
Standard : ASTM F1959 NFPA2112, ISO11612

STANDARD ITEMS

- Class "0" insulation gloves
- Class "E" hard hat
- Dupont Nomex Essential (IIIA) Coverall
- Arc Flash Face Shield with Chin protector
- Faceshield bag
- Safety Glasses
- Reusable ear plug
- Sherwood Exclusive AFS Kit Storage bag



HRC 2 Arc Flash Kit



ASTM F 1959, NFPA 2112, ISO EN 11612



Item Code
ARC-FS8

Arc Rating : HRC 2 (8, 11, 14, 22 cal/cm²)
Brand : DuPont™
Composition : Nomex® IIIA
Standard : ASTM F 1959, NFPA 2112, ISO EN 11612

STANDARD ITEMS

- Class "0" insulation gloves
- Class "E" hard hat
- Dupont Nomex Essential (IIIA) Coverall
- Arc Flash Face Shield with Chin protector
- Faceshield bag
- Safety Glasses
- Reusable ear plug



HRC 3 Arc Flash Kit



ASTM F1959 NFPA2112, ISO11612NFPA 2112



Item Code
ARC-FS36

Arc Rating : HRC 3 (36 cal/cm²)
Brand : DuPont™
Composition : Nomex® Essential Arc (Protera)
Standard : ASTM F1959

STANDARD ITEMS

- Sherwood Exclusive Gear Bag
- Integrated Face Shield with Helmet



HRC 4 Arc Flash Kit



ASTM F1959 NFPA2112, ISO11612NFPA 2112



Item Code
ARC-FS43


Arc Rating : HRC 4 (43, 63 cal/cm²)
Brand : DuPont™
Composition : Nomex® Essential Arc (Protera)
Standard : ASTM F1959, F1506, F2621

STANDARD ITEMS

- Sherwood Exclusive Gear Bag
- Integrated Face Shield with Helmet



Condenser Discharging Pole



Insulating condenser discharging pole with earthing system. It is also suitable for devices with static electricity. Pole with only one section made of polyester and fiberglass tube 0.32 mm, with hand protector, grip and tip.

Product Featured

Length : 1.6 meters

Working voltage : 36 kV

INDOOR and OUTDOOR use in dry environment Cooper earthing cable : 16 mm² section and 2 meters long.

Item Code
CDP-1

Rescue Poles



Rescue pole with only one section made of polyester and fiberglass tube 0.32 mm with humidity-proof seals on each end, hand protector, grip, tip, M-10 metric head and rescue hook. Used to remove the casualty from the danger area in rescue operations.

Product Featured

MOD. BS-45

Length : 1.79 meters

Working voltage : 45 kV

Item Code
RP-1

NOVAX Rubber Electrical Insulating Gloves
ASTM D120, NFPA 70E and EN 60903



- NOVAX Rubber Insulating gloves are produced from especially compound latex that offers excellent dielectric properties combined with great flexibility, strength and durability.

Item Code	Description
NVX-BOUE36Y	Class 00, 11" Length, 2500 Volt Tested, 500 Volt Working
NVX-UOUE36Y	Class 0, 14" Length, 5000 Volt Tested, 1000 Volt Working
NVX-XOUE36Y	Class 1, 14" Length, 10000 Volt Tested, 7500 Volt Working
NVX-YOUE36Y	Class 2, 14" Length, 20000 Volt Tested, 17000 Volt Working
NVX-MOUQ46Y	Class 3, 16" Length, 30000 Volt Tested, 26500 Volt Working
NVX-ZOUQ46Y	Class 4, 18" Length, 40000 Volt Tested, 36000 Volt Working

NOVAX Leather Protector Glove
ASTM F696 & EN 388



- NOVAX Leather Protective gloves add an extra layer of safety for rubber insulating gloves. There are to be used only for mechanical protection against cuts, abrasions and puncture for rubber gloves and mittens. It should always be worn over NOVAX Rubber insulating gloves to meet ASTM F696-06 standard. Our leather protection gloves are manufactured from top grain cowhide or goatskin

Item Code	Description
NVX-LPG10	Class 00 (10" Length)
NVX-LPG12	Class 1 - 2 (12" Length)
NVX-LPG13	Class 3 - 4 (12" Length)



NOVAX 20KV Dielectric Safety Boot
EN ISO 20345 and EN 50321

- Specially hand-built and tested individual to EN20345 and EN50321 standards
- Offering a high level of protection, the boots easy lock for placement when climbing ladder or poles
- Head & Oil resistant Anti-Slip sole

Item Code	Description
NVX-DBS4-20	

NOVAX Glove Storage Bag



- Glove Storage bag suit a pair of NOVAX Electrical Safety Gloves. Storing rubber insulating gloves in the right size bag and never place more than one pair into each storage bag, equipment will lie flat and last longer

Item Code	Description
NVX-GLV-BAG11	11" - 12", 21cm (w) x 32cm (l) x 9.3cm (d)
NVX-GLV-BAG14	14", 21cm (w) x 39cm (l) x 9.3cm (d)
NVX-GLV-BAG18	18", 21cm (w) x 50cm (l) x 9.3cm (d)

Fire Response



Portable Dry Powder Fire Extinguisher
9kg, 6kg, 2kg, 1kg

Item Code	Description
FE-ABC	



Carbon Dioxide (CO2)
Portable Fire Extinguisher 5kg, 2kg

Item Code	Description
FE-CO ²	



Fire Extinguisher Cabinet

Item Code	Description
FE-BOX	

Fire Blanket



FB44CD

FB46CD

Item Code	Size
FB44CD	4 ft x 4 ft
FB46CD	4 ft x 6 ft

Fireman Axe



- Forged heat treated, steel heads. Polished pick and blade, blue trim. Clear finish and fiberglass handles with rubber grip insulation. Precision balanced for fast cutting and safer handling

Item Code	Description
TL-281	Length: 920cm

PORTABLE GRAVITY EYEWASH STATION (8 Gallons)



The portable eyewash is a safety and rescue protective equipment equipped with an eyewash system that is mounted directly on the wall or table at the work site. When chemicals, fires, etc. 'hurt workers' eyes and faces, the device can be used to flush; thus minimizing the degree of injury. The portable eyewash is only for general emergency rescue, and cannot be replaced by medical treatment; further medical treatment should be carried out after flushing.



Item Code	Description
GZ-PEW8	

- Eyewash or eye/face wash shall be positioned such that flushing fluid pattern is not less than 33" (838mm) and no greater than 53" (1346mm) from surface on which user stands.

TOBIN Emergency Eyewash Bottle
SS-EN ISO 9002, SS-EN 46002, SS-EN 552 and SS-EN 556



TOB 126

TOB 127

TOB 130

- An eyewash should be quick, simple and safe to use.
- The unique shape of Tobin's eyewash bottle insures that even a temporarily blinded and confused person can identify it as a safe eyewash.

Item Code	Description
TOB 126	Replacement 2 x 1000ml bottles with saline eyewash solution
TOB 127	Transport stand wall and bench mount including 2 x 1000ml
TOB 130	Dust protected cabinet wall mount including 2 x 1000ml

plum Emergency Eyewash Bottle
DIN EN 15154-4



4650

4604

- Easy to handle - can be applied by the injured person without assistance
- Rinsing time : ca. 5 Min
- Dimensions : H 220 x ø 75 mm

Item Code	Description
4604	500 ml
4650	Plum eye wash box with 2 x 500 ml Plum eye wash

Emergency Eyewash

ANSI Z358.1 & AS 4775



EY 5050

EY 5050SS

Item Code	Description
EY 5050	Wall Mounted Eyewash with ABS Plastic Bowl
EY 5050SS	Wall Mounted Eyewash with Stainless Steel Bowl

- 280mm (11") bowl is injection moulded in chemical resistant ABS in bright yellow colour

- Wall-mounted eyewash fits easily into your workplace



EY 5060SS

EY 5070SS

- 280mm (11") bowl is in polished stainless steel for long lasting use and recommended for outdoor installation

- Stainless steel with ABS sprayheads assembly with twin, soft-flow eyewash heads and instant flip-open protective dust-cover

- This stand alone eyewash is mounted onto the floor and can operated either by hand or foot

Item Code	Description
EY 5060SS	Floor Mounted Eyewash with Stainless Steel Bowl Without foot pedal
EY 5070SS	Floor Mounted Eyewash with Stainless Steel Bowl With foot pedal



EY 5060

EY 5070

Item Code	Description
EY 5060	Floor Mounted Eyewash with ABS Plastic Bowl Without foot pedal
EY 5070	Floor Mounted Eyewash with ABS Plastic Bowl With foot pedal

Emergency Shower

ANSI Z358.1 & AS 4775



ECB 10020AB

ECB 10020SS

Item Code	Description
ECB 10020AB	Combination Shower & Eyewash with ABS Plastic Bowl
ECB 10020SS	Combination Shower & Eyewash with Stainless Steel Bowl

- Floor mounted combination unit of drench shower and eyewash with ABS plastic bowl comes with a foot pedal

- The unit is very effective and highly recommended in all accident prone areas

Item Code	Description
ECB 10022AB	Combination Shower & Eyewash c/w ABS Plastic Bowl & Foot Pedal
ECB 10022SS	Combination Shower & Eyewash c/w Stainless Steel Bowl & Foot Pedal

Full Stainless Steel Combination Shower & Eyewash c/w Foot Pedal

ANSI Z358.1 & AS 4775

- This model is designed for cleanroom and areas where airborne particles is a concern

- A non-coated fixture, it is the most durable unit of the emergency fixtures range

- The entire unit, from handle to eyeball outlets are made of stainless steel. This particular unit comes with a foot pedal

- Available in fully stainless steel 304 or 316

Item Code	Description
ECB 10022XSS	Full stainless steel 304
QCB 60022XSS	Full stainless steel 316



DEFIBRILLATORS

Defibtech Lifeline DDU 100



Item Code
AED-03

Specifications

- CPR Support: Voice prompts with metronome to guide CPR process
- Manufacturer's Warranty: 8 years
- IP Rating: IP54
- Electrode / Pads Life: 2 years
- Battery Life: 4 years
- Energy Protocol (J): Adult: 150J
- Paediatric Technology: Requires paediatric pads
- Battery Type: Lithium Manganese Dioxide
- Weight of unit (kg): 1.9
- Dimensions (cm): 22 x 30 x 7

Unique Selling Point

- 8 year warranty
- IP54 Dust and Moisture ingress protection
- Active Status Indicator
- Semi-Automatic Mode Operation
- Lightweight, Portable, Durable
- 4 Year Battery Shelf Life

AED Cabinet with Siren

- Included with Siren Sound and Light
- Allow to mounted on wall
- Break glass to get the key
- Include with 9v battery and 2 keys

Item Code	Dimension
PM-01-AC	Weight: 3.9kg, Size: 330 (L) x 160 (W) x 300 (H) cm
PM-02-AC	Weight: 5.7kg, Size: 445 (L) x 180 (W) x 445 (H) cm



PM-01-AC



PM-02-AC

AED Signage 3D

- Size: 20cm x 20cm per face side
- Weight : 100 g

Item Code
PM-01-AS3D



PM-01-AS3D

Stretcher & Others

Double Fold Stretcher



- Double fold with durable aluminium
- 600D with PVC backing textile
- Come with 2 pcs strap
- Size : Unfolded 208 (L) x 53 (W) x 14 (H) cm
Folded 104(L) x 18 (W) x 11 (H) cm
- Load Bearing : 150 kg
- Self Weight : 6 kg

Item Code
DFS-2

Spine Board Stretcher



- Made of high-density polyethylene material with no discharge • contaminator and durable.
- Can be used with head immobilizer and spider Strap.
- Allowed X-Ray translucent.
- Comes with 3 straps.
- Size : Unfolded 184 (L) x 46 (W) x 5 (H) cm
- Flotation Capacity : 45 kg
- Load Bearing : 159 kg

Item Code
PM-7A1-SB

Standard Wheel Chair



- Double brake and safety belt
- 8" solid castor
- 24" solid tyres on spoke wheel
- 19" seat and back uphoistery

Item Code
SFW-1

CPR Pocket Mask



- CPR Pocket Mask with 1pc Gloves & 2pcs wipe in PP hard case. This pocket mask incorporates a one way valve and filter allowing for effective ventilation and outstanding user protection. Also with user guide letter with multi color PP hard case
- Content : 1pc of CPR Mask, 1pc of Glove, 2pcs of Alcohol Pad (wipe), 1pc of User Manual, 1pc of PP Hard Case

Item Code
PM-01-VPM

Frac-Care Splint with Carrying Bag



- The Frac-Care Kit Features versatile limb splints that can be used as lefts or rights. Kit includes adult arm splint, adult leg splint, arm/ shoulder immobilizer, child arm splint, straps, and a carrying case
- X-ray translucent and MRI compatible
- Content : 3 set for Leg, 3 set for arm/shoulder, 1 carrying bag
- Weight : 1.5kg

Item Code
PM-02-FC

Cervical Collar



- Medical device used to support a person's neck. It is also used by emergency personnel for those who have traumatic head or neck injuries. Adjustable design, measure the patient, adjust to suitable position and deliver the superior immobilization.

Item Code
PM-01-CCA

FIRST AID KIT

D.O.S.H 2nd Edition First Aid Kit

ANSI Z358.1 & AS 4775



Box A



Box B



Box C

Item Code	Size	Description
FAK-DOSH2-A (Box A)	300(L) x 100 (W) x 250 (H) mm	Suitable for 1-10 persons
FAK-DOSH2-B (Box B)	360(L) x 120 (W) x 280 (H) mm	Suitable for 11- 50 persons
FAK-DOSH2-C (Box C)	470(L) x 130 (W) x 340 (H) mm	Suitable for more than 50 persons

First Aid Kits



PM03PS



PM04PM



PM05L

Item Code	Size	Description
PM03PS	300(L) x 100 (W) x 250 (H) mm	Suitable for 1-10 persons
PM04PM	360(L) x 120 (W) x 280 (H) mm	Suitable for 11- 50 persons
PM05PL	470(L) x 130 (W) x 340 (H) mm	Suitable for more than 50 persons

Vitalfour MEDICAL ABS Box Features

Your Companion In First Aid



Comes with Wall Bracket

Item Code
FAK-VFM-PS03


- Made with ABS material, can be hand carried or wall-mounted
- Clear cover can avoid falling down of first aid items when open
- Shape-holding, impact resistant, temperature stable, splash-proof, dust-proof. Adjustable inner partitions, transparent cover panels.
- Easy-acton turn-lock fasteners, reinforced carry handle.

Trauma Kit

- Comes with a compact Durable Polyester1200D materials with 4 identical pocket for easy an personalised organisation (3 removable transparent pouches for PM-09-TK)



Item Code	Size	Weight	Colour
FAK-PM08TK (Hand or Shoulder Carried)	440(L) x 290 (W) x 280 (H) mm	1.45 kg (empty) / 4.15 kg (with contents)	Red/ Navy Blue
FAK-PM09TK (Hand Carried)	430(L) x 180 (W) x 340 (H) mm	1.70 kg (empty) / 4.3 kg (with contents)	Red/ Navy Blue



INDUSTRIAL SAFETY, FLASHLIGHT & MARINE SAFETY

Worksafe Intrinsic RAZOR FSL



Model: 60170 | 3AA-cell LED Flashlight

- Class I, Div 1 ATEX/IECEx Zone 0
- 3 light modes – high and low and combo
- 2 lights – a forward beam and a downward beam, combo of both
- Two magnets: one on integrated belt clip and one at base of flashlight

- Forward light runs 24 hours on low, 7 hours on high
- Forward and downward light run 10 hours
- Downlight eliminates trips, slips, and falls
- Tail cap slot for lanyard connection point
- Drop rating of 2 meters

2 Magnets for Handsfree Lighting!



Item Code
TLIGHT-BS-60108



Worksafe LED Flashlight



2206



2217



2224

SAFETY RATING

- Intrinsically Safe
- UL Protection Methods
- Class I, II, III, Div I, Groups A - G
- Class I, II, III, Div 2, Groups A - G
- Operating Temp T5

FL1 STANDARDS	

Item Code
TLIGHT-BS-2206

FL1 STANDARDS	

Item Code
TLIGHT-BS-2217

FL1 STANDARDS	

Item Code
TLIGHT-BS-2224

Razor LED Flashlight

FL1 STANDARDS	



SAFETY RATINGS

- Intrinsically Safe
- UL Protection Methods
- UL 913 CSA C22.2 No 157
- Class I, II, III, Division 1, Groups C - G, T1
- Class I, II, III, Division 2, Groups A - G, T5
- Ingress Protection Level: IP67
- Meets NFPA 1901 14.1.11.2 2003 Edition

• The Lighthawk Lantern was the first lantern developed with Lithium Ion Rechargeable Battery Technology, bringing the most reliable battery technology to the flashlight market. Long run times, fast recharge times and extremely lightweight

• Designed for the demanding needs and environments of the Fire, Service, Utility and Transit markets

Item Code	Description
TLIGHT-BS-07652	4 Cell Yellow Lantern with 220V AC Charger

KoehlerBrightStar Vision LED Headlamp



Adjustable Mount



Low Profile For Use With Visors

SAFETY RATING

- Intrinsically Safe
- UL Protection Methods
- UL 913 CSA C22.2
- Class 1 Div 1 Groups C, D
- Class 1 Div 2 Groups C, D
- Class 2 Div 1 Groups E,F,G
- Class 2 Div 2 Groups F, G
- Class 3

Item Code
TLIGHT-BS-200501

Mode	Setting	Output Lumens	Peak Beam Intensity Candela	Beam Distance Meters	Run Time Hours	Power Source	Weight
Spot	High	185	1000	63	6.75	3 AAA Batteries	3.5 oz. with Batteries
	Low	65	320	35	20		
Floodlight	High	20	10	6	>70hrs		
	Low	10	6	4	>140hrs		

HIGH MODE		LOW MODE	
FL1 STANDARDS		FL1 STANDARDS	



Exin Light

SAFETY RATINGS

- IECEx TSA 15.0025X
- ATEX ITS16ATEX28430X

EXIN Light Explosion Proof Products carry T4 Classification and have been approved and certified by the relevant authorities :

- TestSafe Australia for the IECEx Certificate
- Intertek UK for the ATEX Certification

BODY :

The EX90L body is constructed using an automotive resin type ABS747 making the light highly durable for use in mining, on oil rigs and in industries. Shock absorbing rubber on both the base and lid provides added protection, and the inbuilt extension height-adjustable extension arms make this light suitable for all tasks.

BATTERY :

The battery used in EXIN Light Explosion Proof Models is a purpose-built encapsulated Ni-MH battery

Model	T4 IIB 1440 SS
Weight	8kg
Open Height (mm)	880mm
Closed Height (mm)	570mm
Width (mm)	330mm
Depth (mm)	200mm
Voltage AC	110 or 240VAC to 12VDC max 2A
Battery	9.6 Ni-MH Battery Pack (containing 8 cells sealed) Exin EX96B
Light Type	High Intensity LED
Lumens	720 low (one side) 1440 high (one side)
Ingress Protection	IP65
Rated Ambient Temp	(-20°C ≤ Tamb ≤ +40°C)
Charge Time Hours	7-8
Battery Run Time Hours	5-6 on high 10-12 on low

Item Code
TLIGHT-EX-T4 IIB 1440SS

Proguard Marine Life Jacket



- Lightweight and easy to wear
- Collar to keep head above water
- Whistle to attract attention during emergency
- Comes with 2-pcs X 50mm waist straps & 1-pc crotch strap
- Standard micro prismatic reflective material on collar
- Sizes : S, M, L, XL, 2XL
- Colour : Din Orange

Item Code
PLJ-MY

Secumar Mystic Single 150N Inflatable Life Jacket



- ISO 12402 lifejacket
- ISO 12402 Personal Flotation Devices
- SECUMAR MYSTIC 150 Harness
- (Automatic and Manual) Inflatable Lifejacket category 150 P/N: 15670
- Buoyancy: approx. 165 N
- Colour: Black
- Weight: approx. 0.80 kg
- CO2-cartridge : 32 g CO2-Cartridge (P/N 927)
- Approvals : DIN EN ISO 12402-3 DIN EN ISO 12401
- Size : > 50 kg body weight 70 to 135 cm chest measurement

Item Code
LJ-SECUMAR

Plastic Holder for Life Ring

LALIZAS



- Set of 3 pcs.

Item Code
LBRH-01107

Rong Sheng Inflatable Life Jacket



- Single Chamber
- Inflation Method: Automatic/Manual
- Buoyancy: 150N
- Weight Less Than: 1kg
- Freeboard: More Than 100mm
- Inflation Time: Less Than 5 Seconds
- Float Duration: More Than 24 Hours
- Buoyancy Loss After 24 Hours: Less Than 5%
- Ambient Temperature: -30oC ~ +65oC

Item Code
MLJ-CN

Economic Marine Life Jacket



- Lightweight & easy to wear
- Comes with 2-pcs X 25mm waist straps
- Whistle to attract attention during emergency
- Standard retro reflective material on shoulder
- Sizes : Free Size
- Colour : Din Orange

Item Code
MLJ-CN

SEA HORSE Work Vest

U.S.C.G. 160.053/70/0 and U.L. approved



- Type V, 3 piece vinyl coated foam work vest
- PVC based closed cell foam, liquid vinyl, 1" webbing
- Buoyancy 18 ¾ ± ½ lbs
- Colour : International Orange

Item Code
WV-10












Guardzer® LOTO system



Guardzer is a professional Lockout Tagout (LOTO) provider with a wide range of safety lockout products. We help to advise our clients on proper lockout/tagout products to help avoid industrial accidents, which are caused by unexpected energization or start-up of machines and equipment by the uncontrolled release of energy.

Safety Padlock

Product	Description	Features
	Safety Padlock	<ul style="list-style-type: none"> • ABS lock body is resistant impact, UV, high and low temperature, shackle is steel chrome plated, hard and beautiful. • Include 2 sets lock body warning labels, can write owner's information. • 16 colors ABS lock body, convenient to choose.
	Insulation Safety Padlock	<ul style="list-style-type: none"> • ABS lock body and nylon shackle combined perfectly, with better non-conductive, anti-magnetism, explosion-proof quality. • Nylon shackle is non-conductive, especially suitable for chemical industry, military, mining, power and flammable and explosive areas • Include 2 sets lock body warning labels, can write owner's information
	Spark-proof Aluminum Shackle Safety Padlock	<ul style="list-style-type: none"> • ABS lock body is resistant impact, UV, high and low temperature. • Spark-proof aluminum shackle, anti-static, anti-magnetism, explosion-proof, corrosion-resistant. • Lock body dimensions: Length 45mm, Width 40mm, Thickness 19mm; Shackle Diameter 6mm, Shackle Height 38mm. • 16 colors ABS lock body, convenient to choose.
	Brass Shackle Safety Padlock	<ul style="list-style-type: none"> • Lock body dimensions: Length 45mm, Width 40mm, Thickness 19mm; • Shackle Diameter 6mm, Shackle Height 38mm. • ABS lock body is resistant impact, UV, high and low temperature. • Brass shackle, anti-static, anti-magnetism, explosion-proof. • Include 2 sets lock body warning labels, can write owner's information. • 16 colors ABS lock body, convenient to choose.
	Long Lock Body Safety Padlock	<ul style="list-style-type: none"> • ABS lock body is resistant impact, UV, high and low temperature. • Shackle is heavy steel chrome plated, hard and beautiful. • Include 2 sets lock body warning labels, can write owner's information. • 16 colors ABS lock body, convenient to choose
	Insulation Long Lock Body Safety Padlock	<ul style="list-style-type: none"> • ABS lock body is resistant impact, UV, corrosion, high and low temperature. • Nylon shackle is non-conductive, especially suitable for chemical industry, military, mining, power and flammable and explosive areas. • Include 2 sets lock body warning labels, can write owner's information. • 16 colors ABS lock body, convenient to choose.
	Dust-proof Safety Padlock	<ul style="list-style-type: none"> • ABS lock body is resistant impact, UV, high and low temperature. • Shackle is heavy steel chrome plated. • The sealer to block keyhole is PP, soft and durable, good sealing. • Include 2 sets lock body warning labels, can write owner's information
	Dust-proof Safety Padlock	<ul style="list-style-type: none"> • ABS lock body is resistant impact, UV, high and low temperature. • Nylon shackle is non-conductive, especially suitable for chemical industry, military, mining, power and flammable and explosive areas. • The sealer to block keyhole is PP, soft and durable, good sealing. • Include 2 sets lock body warning labels, can write owner's information
	Cable padlock	<ul style="list-style-type: none"> • ABS lock body and 3mm diameter stainless steel cable. • Can lock neighboring electrical appliances or other switch at the same time, saving the padlocks quantity and space, easy to manage. • Use with professional safety padlock and tag together. • Can customize the cable with PVC coated

Stainless Steel Padlock



- Meticulous workmanship, 304 stainless steel material, beautiful, resistance corrosion and antirust.
- Double leakage holes to prevent water accumulation, corrosion.
- Arc edge design, grinding, good handle without cutting hands.
- Thicker lock body strong and firm high anti-theft performance.
- Thicker 304 stainless steel shackle can prevent cutting, sawing; safety and reliability.
- There are four specifications lock body to choose; each specification can collocate long shackle or short shackle.

Laser Printing Positions

Stainless Steel Padlock

Product	Description	Features
	Brass Padlock	<ul style="list-style-type: none"> • The lock body is made of brass material, strong and firm, strong anti-theft, meticulous and beautiful, and anti-corrosion. • The lock shackle is heavy steel chrome plated, which is strong and beautiful. • There are two types of long shackle and short shackle to choose.
	Economic Brass Padlock	<ul style="list-style-type: none"> • The lock body is made of brass material, strong and firm, anti-theft, meticulous and beautiful, and anti-corrosion. • The lock shackle is heavy steel chrome plated, which is strong and beautiful. • Optional waterproof rubber ring.
	Laminated Steel Safety Padlock	<ul style="list-style-type: none"> • Laminated padlock is suitable for using in special environment. • Can stick obvious warning labels on lock body, easy to identify and manage. • Lock body is made of laminated steel, shackle is steel chrome plated, hard and durable. • The board on lock body for label is yellow, safe and eye-catching.
	Laminated Steel Safety Padlock	<ul style="list-style-type: none"> • Lock body is made of laminated steel, can provide extra strength, shackle is made of steel chrome plated, hard and durable Best used for outdoors. • Laser printing available.

Aluminum Padlock



- Suitable for chemical automobile industry etc., light and solid, resistant chemical corrosion, high and low temperature, UV, and impact.
- Arc lock body design, Aluminum lock body, Chromium plated steel shackle, light and solid, bear a strong external force.
- Brass cylinder is more resistant corrosion, 6 cartridge cylinder improve the anti-lock by others.
- Provided eight colourful mental which include red, yellow, green, blue, black, purple, white, and orange Differ cylinder lockout, it also customize by the user.
- The oxidized surface of the lock body is corrosion-resistant and can be labeled or laser engraved.

Laser Printing Positions

PVC Tag and Warning Sign Regular Type



PVC Tags Length: 145mm Width: 75mm
Thickness: 0.8mm Lockhole diameter: 8mm

Customize Type



Valve Lockout

Product	Description	Features
	Single Arm Universal Ball Valve Lockout	<ul style="list-style-type: none"> • Be made of reinforced nylon and metal, with better impact resistance and excellent chemical resistance. • Advanced trapezoidal upper teeth improves the bite strength of valve handle. • The rotating arm makes the bite more tight and improves the safety performance. • Two gear adjustable.
	Rotation Valve Lockout	<ul style="list-style-type: none"> • Be made of reinforced nylon and stainless steel, durable and resistance to chemicals, corrosion resistance. • Unique design to lock the flange ball valve from which handle can be removed or shut-off valve. • Use with professional safety padlock and tag together.
	Gate Valve Lockout	<ul style="list-style-type: none"> • Be made of high strength engineering plastics, with better high temperature resistance, corrosion resistance, impact resistance and insulation performance. • Unique design of central bulge, after removing, can be used for lifting rod gate valve. • According to the handle diameter, there are 5 specifications lockout to choose.
	Universal Valve Lockout	<ul style="list-style-type: none"> • Be made of reinforced nylon and metal, with better impact resistance and excellent chemical resistance. • Suitable for handle width ≤ 46mm, thickness ≤ 25mm. • BD-8237 has adjustable arm, can adjust the length of the arm according to customers' requests. • Use with professional safety padlock and tag together.
	Pressurized Gas Cylinder Valve Lockout	<ul style="list-style-type: none"> • Be made of high strength industrial ABS resin, with better impact resistance, chemical pollution resistance. • Lock the gas cylinder high pressure valve, prevent to open, suitable for valve with limiter. • Applicable to all gas cylinder high pressure valves, valve diameter range can up to 76mm. External dimensions: 115mm X 97mm
	Ball Valve Lockout	<ul style="list-style-type: none"> • Be made of high strength polypropylene, excellent anti-fracture, wear resistance and insulation performance. • Can adjust the position of the padlock arbitrarily, convenient and quick. • Extended block design increase the suitable range. • Applicable ball valve locking range: 0.25"-1" in open, 0.25"-1.5" in close. • Use with professional safety padlock and tag together.

Electrical Lockout



Product	Description	Features
	Miniature Circuit Breaker Lockout	<ul style="list-style-type: none"> Be made of ABS resin and has good insulation performance. Pin out (in) with a unique design, easy to install. Can customize to mark on lockout by laser. Use with professional safety padlock and tag together.
	Multi-mini Breaker Lockout	<ul style="list-style-type: none"> Be made of ABS and miniature brass screw with nickel plated. External dimensions: Length 58mm, Width 42mm, Thickness 14.5mm. With a screw can tighten directly to install, easy to use, without assistant tools. Can customize to mark on lockout by laser. Use with professional safety padlock and tag together, padlock can be horizontal or vertical locked in two methods.
	Motor Circuit Breaker Lockout	<ul style="list-style-type: none"> Be made of ABS and brass screw with nickel plated. With a screw can tighten to install, easy to use, without assistant tools. Special square hole slot and screw can guarantee not appear any swing after be locked. Can customize to mark on lockout by laser. Use with professional safety padlock and tag together.
	Moulded Case Circuit Breaker Lockout (small)	<ul style="list-style-type: none"> Be made of ABS resin and has good insulation performance. Special stainless steel teeth design, fixed by screw, providing better bite for handle. According to the circuit breaker handle space, the adjustable baffle can move to confirm the suitable position. Can customize to mark on lockout by laser. Use with professional safety padlock and tag together.
	Moulded Case Circuit Breaker Lockout	<ul style="list-style-type: none"> Be made of ABS and brass screw with nickel plated. With a screw can tighten to install, easy to use, without assistant tools. Can customize to mark on lockout by laser. Use with professional safety padlock and tag together.
	Moulded Case Circuit Breaker Lockout	<ul style="list-style-type: none"> Shell is made of ABS resin and main body is durable metal. External dimensions: Length 68.5mm, Width 23.5mm, Thickness 14mm. With a screw can tighten directly to install, easy to use, without
	New Clamp-on Circuit Breaker Lockout	<ul style="list-style-type: none"> Made of sturdy polypropylene, high-strength modified nylon, and engineering plastic materials. Wide range of uses-suitable for various medium-sized molded case circuit breakers. Use the screw to fix the lockout on the switch handle, and then buckle the cover to the knob and finish locking to avoid loosening. Blade design makes the fit closer. A sliding long splint can ensure that the circuit breaker is locked. The detachable splint (included) further expands the scope of application. Padlocks with a maximum shackle diameter of 7mm can be used. Use with professional safety padlock and tag together.
	Plug Lockout	<ul style="list-style-type: none"> Be made of ABS resin, side hole diameter 10mm. Stick with sunscreen label can write the name of the person in charge and matters. Use with professional safety padlock and tag together.
	Three-phase Plug Lockout	<ul style="list-style-type: none"> Shell is made of ABS. Stick with sunscreen label can write the name of the person in charge and matters. Use with professional safety padlock and tag together

Hasp Lockout

Product	Description	Features
	Steel jaw, polypropylene injection handle	<ul style="list-style-type: none"> Install the hasp lockout on the energy cut off switch so that the equipment cannot be operated during maintenance. It can be locked by multiple people at the same time. The equipment cannot be turned on unless the last person opens his/her padlock Use with professional safety padlock and tag together.
	Spark-proof aluminum jaw, polypropylene injection handle	<ul style="list-style-type: none"> Install the hasp lockout on the energy cut off switch so that the equipment cannot be operated during maintenance. The equipment cannot be turned on unless the last person opens his/her padlock. Can accommodate 6 people to lock, can be locked by multiple people at the same time.
	Aluminum Alloy Hasp Lockout	<ul style="list-style-type: none"> Made of aluminum alloy. The traditional hasp and tag integration become one. The combination of label and hasp improve the applicability of the product, and the temperature-resistance design of tag can be applied to different environment. Both sides of the lable can be written. Color can be customized.
	Insulation Hasp Lockout	<ul style="list-style-type: none"> ABS lock body with nylon shackle. Apply to where place electric power isolation locking, high requirement of corrosive or explosion-proof places. Advantages: small and exquisite. Write available on the front and back. Can accommodate 4 padlocks.
	Heavy Steel Hasp Lockout with 7 Holes	<ul style="list-style-type: none"> Made of hardened steel, galvanized rustproof surface. Pry proof design.

Lockout Station



4 Padlock Lockout Station



10 Padlock Lockout Station



20 Padlock Lockout Station




36 Padlock Lockout Station



Metal Lockout Station



Combined Lock Management Station



LOTO Management Board



TRAFFIC SAFETY CONTROL

Safety Cone



SC-18



SC-30



SC-B/O



SC-30-A



RSC28BL



RSC24-AWAS



SCT-POLIS



FLEXIBAR

Item Code	Description	Height
SC-18	White & Red Safety Cone Sand Base	18"
SC-30	White & Red Safety Cone Sand Base	30"
SC-B/O	Orange PVC safety cone with black rubber base	28"
SC-30-A	Safety cone for adaptor	30"
SC-ADAPTA	Adaptor traffic cone base for safety cone	30"
RSC28BL	Retractable safety cone c/w flashing light	28"
RSC24-AWAS	Retractable square safety cone with "AWAS" wording	24"
SCT-POLIS	Triangle safety cone with "POLIS" wording	26"
FLEXIBAR	Flexible pole	30"

Road Barrier



Item Code	Dimension
RB-RED	Size: 1000mm (L) x 400mm (W) x 780mm (H)
RB-WHITE	Size: 1000mm (L) x 400mm (W) x 780mm (H)

Road Barrier- Hoarding



Item Code	Dimension
H-BARRIER RED	Size: 1220mm (L) x 60mm (W) x 1190mm (H)
H-BARRIER-WHITE	Size: 1220mm (L) x 60mm (W) x 1190mm (H)

Plastic Yellow Chain Roll



Item Code	Length
PYCR-6	6mm x 20 meter
PYCR-8	8mm x 20 meter

Car Wheel Clamp Lock



Item Code	Description
WC-L	Large [960(W) x 930(L)mm] suitable for 4WD to 1 ton pickup
WC-S	Small [850(W) x 630(L)mm] suitable for Myvi to sedan cars

High Visibility Emergency Traffic Baton J-003



Item Code	Dimension
J-003	30 x 335 x 535mm

Rubber Wheel Stopper



Item Code	Description
RWC-Y	Black & yellow stripe
RWC-02	Black

Emergency Reflector Triangle



Item Code
ERT-R-P

Expandable Barrier



Item Code	Description
BRC-PE	Plastic Expandable Barricade

Road Speed Hump



Item Code	Description & Dimension
RSH-EP-B	End piece, black, 25/50mm(H) x 350mm(W) x 175mm(L)
RSH-EP-Y	End piece, yellow, 25/50mm(H) x 350mm(W) x 175mm(L)
RSH-MP-B	Mid piece, black, 50mm(H) x 350mm(W) x 255mm (L)
RSH-MP-Y	Mid piece, yellow, 50mm(H) x 350mm(W) x 255mm(L)

Barricade Tape



Item Code	Description
ST-3X50	3" X 50yds white & red safety tape with word "AWAS & CAUTION"

Antislip Floor Tape



Item Code	Description
5055BYH	Yellow / Black
5060RWH	White / Red
5070BCH	Black

Adhesive Floor Tape



Item Code	Description
AFT48BY	Yellow & black adhesive safety floor tape
AFT48RW	Red & white adhesive safety floor tape


Stainless Steel & Polycarbonate Convex Mirror



- Convex mirror providing the best viewing effect. It is the ideal solution for areas with high risk of vandalism, pilferage or aggressive industrial chemical environment atmosphere given its outstanding weather and impact resistance
- It's virtually unbreakable and requires minimal maintenance, therefore, it produces cost effective result in the long run when compared to other materials that may require regular maintenance or replacement
- Fully stainless steel or polycarbonate material
- Durable under extreme weather condition

Item Code	Description
CM-SSO-600	600MM(24") Convex Mirror C/W Zinc Backplate
CM-SSO-800	800MM(32") Convex Mirror C/W Zinc Backplate
CM-SSO-1000	1000MM(40") Convex Mirror C/W Zinc Backplate

Guardzer® Safety Signage



SOP to order signage:

1. Materials: ACP board, Hi-impact, Self-adhesive sticker, Acrylic
2. Size: refer image
3. Submit artwork files to approve
4. Proceed the order, usually 1 week lead time
5. Installation service will be charge depend on the work scale.



Safety Signage are available in PVC Sheet, Sticker, Aluminium Composite Materials. Please contact our customer service to discuss your signage requirement.



INDUSTRIAL HYGIENE & MATERIAL HANDLING EQUIPMENTS

Jumbo Roll Tissue (JRT)



- **Packing :** 1 Ctn = 12 Roll

Item Code	Description
JRT-500	500g
JRT-EX	200 meter
JRT-EX-V	200 meter-Premium

2 Ply Toilet Roll



- **Packing :** 1 Bdl = 12 Packets, 1 Packet = 10 Rolls

Item Code	Description
T-Roll	

Multi Fold Tissue (1Ply)



- **Size :** 230mm X 230mm
- **Packing :** 1 Ctn = 16 Pkts, 1 Pkt = 250 Sheets

Item Code	Description
MFT-1	Premium
MFT-2	Normal

FIBERGLASS PLATFORM TROLEY LADDER (F-PTL)



★ ★
150 KG
HEAVY DUTY SERIES


Handle rugged projects

COMPLIED TO BS EN 131




Foldable and Movable
Designed for warehouse, factory and racking industries

Coloured parts highlight features




Safety guardrail.




Handrail to support user in climbing




3D anti slip platform & built-in toeboard.



Solid internal spreader



Anti-slip steps features.



3" castor wheel.



Item Code	No of Stape	Platform Height (mm) ^A	Ladder Height (mm) ^B	Weight (kg)	Packaging Dimension (mm)
F-PTL03	3	915	1916	12.50	(L)12065 x (L) 670 x (L) 270
F-PTL04	4	1211	2213	14.50	(L) 2370 x (L) 700 x (L) 270
F-PTL05	5	1515	2517	15.50	(L) 2675 x (L) 730 x (L) 270
F-PTL06	6	1813	2817	17.00	(L) 2980 x (L) 760 x (L) 270
F-PTL07	7	2115	3117	19.00	(L) 3280 x (L) 795 x (L) 270
F-PTL08	8	2412	3408	23.00	(L) 3585 x (L) 830 x (L) 270
F-PTL09	9	2713	3707	25.00	(L) 3890 x (L) 860 x (L) 270
F-PTL10	10	3000	3994	27.00	(L) 4195 x (L) 890 x (L) 270
F-PTL11	11	3298	4298	29.00	(L) 4500 x (L) 925 x (L) 270
F-PTL12	12	3608	4602	31.00	(L) 4810 x (L) 960 x 2 (L) 270

Max Load :150Kg



- 1 Recommended use for removal of oil, grease and dirt
- Size : 25 Liters / Carboy

Item Code	Description
DP966	

Suprega Plus Hand Cleaner



- Effective - Cleaning power is derived from specially developed cleaning agents which remove a variety of soiling
- Neutral pH - Less likely to dry the skin
- Gentle - Cares for the hands whilst the Lanolin derivatives prevent skin dryness, chapping and cracking

Item Code	Description
DEB5000	

Swarfega® Orange



- Advanced formulation, solvent-free heavy duty hand cleanser containing non-abrasive scrubbers for a deep down cleaning action and moisturiser to help care for skin
- Removes ingrained oil, grease, and general grime

Item Code	Description
DEB-SWARFEGA-O	4 Liter Pump Bottle

Biodegradable Garbage Bag

- Bio-degradable garbage bags will be broken down into smaller polyethylene molecules which can be further digested into carbon dioxide, water residue and biomass
- Crude oil extract for brand new high quality material
- Roll and point-broken type packaging, easy to store and use

Item Code	Size (Capacity)	Measurement	Packing	Colour
RBBIO-S	S / 20 litre	19" x 22"	50pcs/roll, 100roll/Ctn	Blue / Clear
RBBIO-M	M / 100 litre	30" x 39"	10pcs/roll, 50roll/Ctn	Clear / Black
RBBIO-L	L / 150 litre	36" x 48" (For 120 Bin)	10pcs/roll, 50roll/Ctn	Clear / Black
RBBIO-XL	XL / 180 litre	45" x 51"	10pcs/roll, 50roll/Ctn	Clear / Black



Garbage Bag / Bin Liner

Item Code	Measurement	Packing	Colour
RB-BAG-04	19" x 22"	50 pcs/Pack	Blue / Clear
GBT-24x36	24" x 36"	50 pcs/Pack	Black
GB-BAG-06	35" x 40"	8 pcs/Pack, 50 Packs/Bundle	Black
RB-BAG-03	36" x 48"	15 pcs/Pack, 15 Packs/Bundle	Black
GBT-40x50	40" x 50"	50 pcs/Pack, 8 Packs/Bundle	Clear
GB-55x60	55" x 60" (Extra Thick)	10 pcs/Pack	Black

2 Wheels Garbage Bin

- Colour: Blue, Brown, Orange, Green, Yellow

Item Code	Description
BP120	120 litre
BP240	240 litre



ALUMINIUM PLATFORM TROLLEY LADDER (PTL)




★ ★ ★
**150 KG
HEAVY DUTY SERIES**
Handle rugged projects




COMPLIED TO BS EN 131

Foldable and Movable
Designed for warehouse, factory and racking industries

Coloured parts highlight features




Safety guardrail.




Handrail to support user in climbing



3D anti slip platform & built-in toeboard.



Solid internal spreader



Anti-slip steps features.



3" castor wheel.



Item Code	No of Stape	Platform Height (mm) A	Ladder Height (mm) B	Weight (kg)	Packaging Dimension (mm)
PTL03	3	915	1916	12.50	(L)12065 x (L) 670 x (L) 270
PTL04	4	1211	2213	14.50	(L) 2370 x (L) 700 x (L) 270
PTL05	5	1515	2517	15.50	(L) 2675 x (L) 730 x (L) 270
PTL06	6	1813	2817	17.00	(L) 2980 x (L) 760 x (L) 270
PTL07	7	2115	3117	19.00	(L) 3280 x (L) 795 x (L) 270
PTL08	8	2412	3408	23.00	(L) 3585 x (L) 830 x (L) 270
PTL09	9	2713	3707	25.00	(L) 3890 x (L) 860 x (L) 270
PTL10	10	3000	3994	27.00	(L) 4195 x (L) 890 x (L) 270
PTL11	11	3298	4298	29.00	(L) 4500 x (L) 925 x (L) 270
PTL12	12	3608	4602	31.00	(L) 4810 x (L) 960 x 2 (L) 270

Max Load :150Kg

ADDITIONAL ACCESSORIES

Coloured parts highlight features



Yellow Safety Gate with Catch
Gate that securely wraps around safe work zone with secure locking system.



Tool Box
For user to place and organize their working tools.




Auto Closing Swing Gate
Creates a fully enclosed working zone on the ladder platform.



Netting
Net that securely wraps around platform area.



Leg Stabilizer
For added stability and to hold ladder in position while at work.



Bottom Support
To enhance ladder solidity.



Aluminium Platform Trolley

Fiberglass Platform Trolley

Mobile Ladder Trolley



Item Code	Mobile Ladder Trolley (L x W x H mm) 350Kgs
2-SSS-150	Metal Kick Step Stool - Round Shape - 450 W x 335 H
2-LT-STEP3-4	Twin Platform L1045 x W520 x H1050/ Top Step -820 mm c/w 4" Castor
2-ML-STEP2	L800 x W600 x H1260/ Top Step -900 mm c/w 5" Castor
2-ML-STEP3	L900 x W500 x H1400/ Top Step -900 mm c/w 5" Castor
2-ML-STEP4	L1100 x W650 x H1800/ Top Step -1200 mm c/w 5" Castor
2-ML-STEP5	L1460 x W700 x H2130/ Top Step -1500 mm c/w 5" Castor
2-ML-STEP6	L600 x W750 x H2400/ Top Step -1800 mm c/w 5" Castor
2-ML-STEP7	L1800 x W750 x H3000/ Top Step -2100 mm c/w 5" Castor
2-ML-STEP8	L2000 x W900 x H3300/ Top Step -2400 mm c/w 6" Castor
2-ML-STEP9	L2300 x W950 x H3600/ Top Step -2700 mm c/w 8" Castor
2-ML-STEP10	L2500 x W1050 x H3950/ Top Step -3050 mm c/w 8" Castor
2-PCL-TLY	1000mmW x 500mmD x 1075mmH c/w 4" Castor


Platform Hand Truck




Item Code	Description	Length	Width	Height	Load
M03-MM201	Single Foldable, 150kg	740mm	480mm	860mm	150kg
M03-MM301	Single Foldable, 300kg	910mm	610mm	860mm	300kg
M03-PS 101	PVC Trolley Foldable Handle, 150kg	710mm	455mm	860mm	150kg
M03-PM 301	PVC Trolley Foldable Handle, 150kg	910mm	610mm	860mm	300kg
M03-MS104	Double Decker Double Handle, 150kg	740mm	480mm	860mm	150kg
M03-MM304	Double Decker Double Handle, 300kg	910mm	610mm	960mm	300kg

LASHING SYSTEM

Lashing System - Load Restraint The Down Belt

 For further information, please do contact our sales team.

SLS -25 -35 -50 -75 -100
Tie Down Belt Fitted Ratchet & Double J- Hook



Endless Lashing System - Load Restraint Endless The Down Belt

ELS -25 -35 -50 -75 -100
Endless Tie Down Belt With Ratchet



- POLY-TEX Lashing System is manufactured from 100% polyester
- Mil Certificates are issued with all slings
- A PVC label bearing an individual serial number, date of manufacture and Lashing Capacity is securely fitted
- Heavy Duty webbing protection sleeves can be fitted.

Item Code	Description
PT-TIEDOWN-1X3	<POLY-TEX> POLYESTER TIE DOWN BELT 25MM(1")W X 3MTR - ORANGE
PT-TIEDOWN-1X4	<POLY-TEX> POLYESTER TIE DOWN BELT 25MM(1")W X 4MTR - ORANGE
TIE DOWN-04	<THH> RTD510 RATCHET TIE DOWN - 5T x 10M x 2"
TIE DOWN-05	<HITARI> RATCHET TIE DOWN - 5T x 9M x 2"
TIE DOWN-06	<POLY-TEX> POLYESTER RATCHET TIE DOWN - 2" X 10MTR
TIE DOWN-07	<POLYTEX> RATCHET TIE DOWN - 5T x 9M x 2"
TIE DOWN-08	<ABTOOL> RATCHET TIE DOWN - 5T x 10M x 2"
TIE DOWN-09	<THH> RTD592 RATCHET TIE DOWN - 5T x 9M x 2"



2-PLY TESTED WEBBING SLING

Item Code	WLL(t)	Colour	Witdh	Weight (kg/m)	Witdh (mm)	Item Code	WLL(t)	Colour	Witdh	Weight (kg/m)	Witdh (mm)
SWS6-01T	1	violet	25	0.17	30	SWS6-01T	1	violet	30	0.17	30
SWS6-02T	2	green	50	0.35	30	SWS6-02T	2	green	60	0.35	30
SWS6-03T	3	yellow	75	0.50	40	SWS6-03T	3	yellow	90	0.50	40
SWS6-04T	4	grey	100	0.64	50	SWS6-04T	4	grey	120	0.64	50
SWS6-05T	5	red	125	0.90	50	SWS6-05T	5	red	150	0.90	50
SWS6-06T	6	brown	150	1.00	65	SWS6-06T	6	brown	150	1.00	65
SWS6-08T	8	blue	200	1.37	70	SWS6-08T	8	blue	180	1.37	70
SWS6-10T	10	orange	250	1.80	90	SWS6-10T	10	orange	240	1.80	90
SWS6-12T	12	orange	300	2.11	100	SWS6-12T	12	orange	300	2.11	100
SWS6-14T	14	orange	300	2.50	100	SWS6-14T	14	orange	300	2.50	100

BG SAFETY SOLUTION SDN BHD

Reg. No: 201101032699 (960834-V)

Southern Region (HQ)

17, Jalan Kempas Lama 1,
Off Jalan Kempas Lama,
81300 Skudai, Johor, Malaysia

East Coast (Showroom)

B8, Jalan Air Putih 6,
Taman Semabok,
25350 Kuantan, Pahang, Malaysia

Visit us :



WhatsApp us :



+607-550 5990 | +6017-821 3320

www.bgsafety.com.my

info@bgsafety.com.my

BGSafety

BGClassroom

BG Safety Solution Sdn Bhd

BG CLASSROOM SDN BHD

Reg. No: 202501029157 (1630569 -U)